

DIMENSIONAL DATA

G

P

K

**Specifications Included
in this Booklet:**

Solvent Weld Schedule 40 DWV Fittings

Gasketed Schedule 40 DWV Fittings

1601 43rd ST. NW · Fargo, North Dakota 58102
Phone: 701-277-3225 Toll Free: 1-800-437-4670
Fax: 701-277-9286 or 1-800-822-6989

TABLE OF CONTENTS



	PAGE NUMBER
4" - 24" SOLVENT WELD SCHEDULE 40 DWV FITTINGS	
Saddles - Solvent Skirt, Solvent Branch	3
Tees - HxHxH	4
Tees - SXHXH	4
Couplings	4
Wyes - HxHxH	4 - 5
Wyes - SXHXH	5
Concentric Reducers - Couplings and Bushings	5 - 6
Eccentric Reducers - Couplings and Bushings	6 - 7
Caps	7
Plugs Sp	7
T-Y's - HxHxH	7 - 8
T-Y'S - SXHXH	8
Double Wyes	8
Crosses	8 - 9
Elbows - 11 1/4, 22 1/2, 30, 45 and 90; HxH and SxH	9 - 10
Threaded Adapters and Plugs	10
IPS x Sewer Adapters	11
Countersunk Threaded Plugs	11
Combo T-Y HxHxH	11
Test Tees - HxHxFIPT with Plugs	12
4" - 12" GASKETED SCHEDULE 40 DWV FITTINGS	
Saddles - Solvent Skirt, Gasket Branch	13
Tees - GxGxG	13
Couplings - Stop and Repair	13
Wyes - GxGxG	13
Concentric Reducers - Couplings and Bushings	13
Eccentric Reducers - Couplings and Bushings	14
Caps	14
Plugs	14
T-Y's - GxGxG	14
Double Wyes	14
Crosses	14
Manhole Adapters	14
Elbows - 11 1/4, 22 1/2, 30, 45 and 90; GxG and SxG	15
IPS x Sewer Adapters	16
Combo T-Y GxGxG	16
Deep Socket Fittings	16
SCHEDULE 40 DIMENSIONS	17
IPS WALL THICKNESSES	18



4" - 24" SOLVENT WELD SCHEDULE 40 DWV FITTINGS

Fittings are manufactured from Schedule 40 pipe that meets ASTM D 2665 or ASTM D 1785 specifications. To be used for non-pressure drainage applications only.

	SIZE	PART #	LB/ 100	(L)	(L1)	(SD)		SIZE	PART #	LB/ 100	(H)	(L1)	(SD)
		6x4	301-0064	340	10.63	14.00		2.00		6x4	302-0064	255	6.06
	8x4	301-0084	447	12.06	14.00	2.00		8x4	302-0084	395	7.06	14.00	2.00
	8x6	301-0086	680	13.00	17.00	3.00		8x6	302-0086	544	7.50	16.00	3.00
	10x4	301-0104	581	13.50	16.00	2.00		10x4	302-0104	529	8.13	14.00	2.00
	10x6	301-0106	843	14.88	17.00	3.00		10x6	302-0106	696	8.63	16.00	3.00
	10x8	301-0108	1262	15.63	22.00	4.00		10x8	302-0108	953	8.88	19.00	4.00
	12x4	301-0124	581	15.00	16.00	2.00		12x4	302-0124	674	9.13	14.00	2.00
	12x6	301-0126	843	16.25	17.00	3.00		12x6	302-0126	863	9.63	16.00	3.00
	12x8	301-0128	1262	17.00	22.00	4.00		12x8	302-0128	1108	9.88	19.00	4.00
	12x10	301-1210	2110	19.75	26.00	5.00		12x10	302-1210	1509	10.88	21.00	5.00
	14x4	301-0144	581	15.88	16.00	2.00		14x4	302-0144	529	9.75	14.00	2.00
	14x6	301-0146	843	17.13	17.00	3.00		14x6	302-0146	696	10.25	16.00	3.00
	14x8	301-0148	1262	17.88	22.00	4.00		14x8	302-0148	953	10.50	19.00	4.00
	14x10	301-1410	2110	20.63	26.00	5.00		14x10	302-1410	1509	11.50	21.00	5.00
	14x12	301-1412	2926	22.38	30.00	6.00		14x12	302-1412	2300	11.50	23.00	6.00
	16x4	301-0164	581	17.25	16.00	2.00		16x4	302-0164	529	10.75	14.00	2.00
	16x6	301-0166	843	18.50	17.00	3.00		16x6	302-0166	696	11.25	16.00	3.00
	16x8	301-0168	1262	19.38	22.00	4.00		16x8	302-0168	953	11.50	19.00	4.00
	16x10	301-1610	2110	22.00	26.00	5.00		16x10	302-1610	1509	12.50	21.00	5.00
	16x12	301-1612	2926	22.75	30.00	6.00		16x12	302-1612	2300	12.50	23.00	6.00
	16x14	301-1614	4025	23.80	34.00	7.00		16x14	302-1614	2860	13.50	26.00	7.00
	18x4	301-0184	581	18.00	16.00	2.00		18x4	302-0184	529	11.25	14.00	2.00
	18x6	301-0186	843	19.25	17.00	3.00		18x6	302-0186	696	11.75	16.00	3.00
	18x8	301-0188	1262	20.25	22.00	4.00		18x8	302-0188	953	12.00	19.00	4.00
	18x10	301-1810	2110	22.75	26.00	5.00		18x10	302-1810	1509	13.00	21.00	5.00
	18x12	301-1812	2926	23.75	30.00	6.00		18x12	302-1812	2300	13.00	23.00	6.00
	18x14	301-1814	4025	25.25	34.00	7.00		18x14	302-1814	2860	14.50	26.00	7.00
	18x16	301-1816	5827	26.25	36.00	8.00		18x16	302-1816	4148	14.50	28.00	8.00
	20x4	301-0204	581	19.37	16.00	2.00		20x4	302-0204	529	12.25	14.00	2.00
	20x6	301-0206	843	20.62	17.00	3.00		20x6	302-0206	696	12.75	16.00	3.00
	20x8	301-0208	1262	21.62	22.00	4.00		20x8	302-0208	953	13.00	19.00	4.00
	20x10	301-2010	2110	24.12	26.00	5.00		20x10	302-2010	1509	14.00	21.00	5.00
	20x12	301-2012	2926	25.12	30.00	6.00		20x12	302-2012	2300	14.00	23.00	6.00
	20x14	301-2014	4025	26.62	34.00	7.00		20x14	302-2014	2860	15.50	26.00	7.00
	20x16	301-2016	5827	27.62	36.00	8.00		20x16	302-2016	4148	15.50	28.00	8.00
	20x18	301-2018	8805	28.37	48.00	9.00		20x18	302-2018	5534	16.50	31.00	9.00
	24x4	301-0244	589	22.25	16.00	2.00		24x4	302-0244	537	14.25	14.00	2.00
	24x6	301-0246	851	23.50	17.00	3.00		24x6	302-0246	704	14.75	16.00	3.00
	24x8	301-0248	1270	24.50	22.00	4.00		24x8	302-0248	961	15.00	19.00	4.00
	24x10	301-2410	2118	27.00	26.00	5.00		24x10	302-2410	1517	16.00	21.00	5.00
	24x12	301-2412	2934	28.00	30.00	6.00		24x12	302-2412	2308	16.00	23.00	6.00
	24x14	301-2414	4033	29.50	34.00	7.00		24x14	302-2414	2868	17.50	26.00	7.00
	24x16	301-2416	5835	30.50	36.00	8.00		24x16	302-2416	4156	17.50	28.00	8.00
	24x18	301-2418	8813	31.25	48.00	9.00		24x18	302-2418	5534	18.50	31.00	9.00
	24x20	301-2420	13247	34.00	56.00	10.00		24x20	302-2420	7542	18.50	36.00	10.00
FABRICATED SADDLE WYE SOLVENT BRANCH, SOLVENT SKIRT WITH STRAPS							FABRICATED SADDLE TEE SOLVENT BRANCH, SOLVENT SKIRT WITH STRAPS						







*DENOTES MOLDED FITTING. ALL OTHERS ARE FABRICATED.



4" - 24" SOLVENT WELD SCHEDULE 40 DWV FITTINGS

Fittings are manufactured from Schedule 40 pipe that meets ASTM D 2665 or ASTM D 1785 specifications. To be used for non-pressure drainage applications only.




	SIZE	PART #	LB/ 100	(C)	(H)	(D)		SIZE	PART #	LB/ 100	(C)	(H)	(D)
		4x4*	303-0044	195	4.25	2.50		2.50		24x6	303-0246	10590	21.00
	6x4*	303-0064	372	5.50	3.50	2.50		24x8	303-0248	11299	22.00	15.00	10.00
	6x6*	303-0066	493	6.51	3.51	3.51		24x10	303-2410	12120	23.00	16.00	11.00
	8x4*	303-0084	633	6.56	4.46	2.56		24x12	303-2412	12952	24.00	16.00	12.00
	8x6*	303-0086	779	7.58	4.50	3.58		24x14	303-2414	13834	24.75	17.50	12.75
	8x8*	303-0088	958	8.54	4.54	4.54		24x16	303-2416	14897	25.50	17.50	13.50
	10x4	303-0104	1401	9.75	7.63	4.75		24x18	303-2418	16419	27.00	18.50	15.00
	10x6	303-0106	1665	11.00	8.13	6.00		24x20	303-2420	17961	28.00	18.50	16.00
	10x8	303-0108	1987	12.25	8.38	7.25		24x24	303-2424	20679	30.00	18.50	18.00
	10x10	303-1010	2433	13.50	9.38	8.50					(C)	(H)	(D)
	12x4	303-0124	1998	10.75	8.63	4.75		4*	304-0044	193	4.25	2.50	4.65
	12x6	303-0126	2357	12.25	9.13	6.25							
	12x8	303-0128	2688	13.25	9.38	7.25							
	12x10	303-1210	3132	14.25	10.38	8.25							
	12x12	303-1212	3602	15.25	10.38	9.25							
	14x4	303-0144	2642	13.00	9.25	6.00							
	14x6	303-0146	2832	14.00	9.75	7.00							
	14x8	303-0148	3284	15.00	10.00	8.00					(L)	(N)	
	14x10	303-1410	3748	16.00	11.00	9.00		4*	305-0004	79	3.75	.25	
	14x12	303-1412	4221	17.00	11.00	10.00		6*	305-0006	204	6.31	.25	
	14x14	303-1414	4750	18.00	12.50	11.00		8*	305-0008	415	8.25	.25	
	16x4	303-0164	3700	13.88	10.25	5.88		10	305-0010	909	13.00	3.00	
	16x6	303-0166	4056	14.88	10.75	6.88		12	305-0012	1373	15.00	3.00	
	16x8	303-0168	4465	15.88	11.00	7.88		14	305-0014	1805	18.00	4.00	
	16x10	303-1610	4988	16.88	12.00	8.88		16	305-0016	2625	20.00	4.00	
	16x12	303-1612	5521	17.88	12.00	9.88		18	305-0018	3352	21.50	3.50	
	16x14	303-1614	6110	18.88	13.50	10.88		20	305-0020	4723	26.00	6.00	
	16x16	303-1616	7125	20.88	13.38	12.88		24	305-0024	7395	30.00	6.00	
	18x4	303-0184	4770	14.75	11.25	5.75					(L)	(J)	(P)
	18x6	303-0186	5210	15.75	11.75	6.75		4x4*	307-0044	297	6.38	8.26	1.88
	18x8	303-0188	5706	16.75	12.00	7.75		6x4*	307-0064	464	7.43	6.87	.18
	18x10	303-1810	6314	17.75	13.00	8.75		6x6*	307-0066	673	8.43	10.18	1.75
	18x12	303-1812	6934	18.75	13.00	9.75		8x4*	307-0084	815	8.68	8.00	.375
	18x14	303-1814	8609	19.75	14.50	10.75		8x6*	307-0086	1035	9.81	10.50	1.00
	18x16	303-1816	9460	20.75	14.50	11.75		8x8*	307-0088	1423	11.75	14.12	2.37
	18x18	303-1818	10182	23.00	15.50	14.00		10x4	307-0104	1563	12.88	11.50	.38
	20x4	303-0204	6375	17.00	12.25	7.00		10x6	307-0106	1974	14.06	15.00	2.13
	20x6	303-0206	6873	18.00	12.75	8.00		10x8	307-0108	2487	15.13	19.00	4.13
	20x8	303-0208	7428	19.00	13.00	9.00		10x10	307-1010	3179	17.63	22.50	5.88
	20x10	303-2010	8094	20.00	14.00	10.00		12x4	307-0124	2221	14.25	11.50	-.63
	20x12	303-2012	8772	21.00	14.00	11.00		12x6	307-0126	2684	15.50	15.00	1.13
	20x14	303-2014	9501	22.00	15.50	12.00		12x8	307-0128	3294	16.50	19.00	3.13
	20x16	303-2016	10409	23.00	15.50	13.00		12x10	307-1210	3924	19.00	21.25	4.25
	20x18	303-2018	11777	24.00	16.50	14.00		12x12	307-1212	4847	20.00	26.00	6.63
	20x20	303-2020	12841	24.87	16.50	14.87		14x4	307-0144	2789	15.13	13.00	-.50
	24x4	303-0244	9937	20.00	14.25	8.00		14x6	307-0146	3334	16.38	17.00	1.50





4" - 24" SOLVENT WELD SCHEDULE 40 DWV FITTINGS

Fittings are manufactured from Schedule 40 pipe that meets ASTM D 2665 or ASTM D 1785 specifications. To be used for non-pressure drainage applications only.



	SIZE	PART #	LB/ 100	(L)	(J)	(P)		SIZE	PART #	LB/ 100	(R)	(SD)	(SD1)
FULL & REDUCING WYE HxHxH	14x8	307-0148	3969	17.38	21.00	3.50	REDUCER COUPLING HxH	4x6*	309-0046	211	3.00	1.75	3.00
	14x10	307-1410	4610	19.88	23.00	4.50		4x8	309-0048	389	2.25	2.00	4.00
	14x12	307-1412	5570	21.88	27.00	6.50		4x10	309-0410	407	2.63	2.00	4.00
	14x14	307-1414	6080	22.38	29.00	7.50		4x12	309-0412	647	2.67	2.00	5.00
	16x4	307-0164	3879	16.50	13.00	-1.63		4x14	309-0414	902	4.25	2.00	3.00
	16x6	307-0166	4544	17.75	17.00	-.38		4x16	309-0416	1197	4.50	2.00	3.50
	16x8	307-0168	5299	18.88	21.00	2.38		4x18	309-0418	4100	4.50	2.00	3.50
	16x10	307-1610	6000	21.25	23.00	3.38		4x20	309-0420	5600	4.50	2.00	4.00
	16x12	307-1612	7001	22.25	27.00	5.38		4x24	309-0424	8400	4.75	2.00	4.00
	16x14	307-1614	7650	23.75	29.00	6.50		6x8	309-0068	395	6.00	3.00	4.00
	16x16	307-1616	8975	24.75	32.00	8.00		6x10	309-0610	527	3.63	3.00	4.00
	18x4	307-0184	5492	18.00	13.50	-2.25		6x12	309-0612	767	3.67	3.00	5.00
	18x6	307-0186	6330	19.25	16.50	-.75		6x14	309-0614	1020	4.75	3.00	3.00
	18x8	307-0188	7253	20.25	20.50	1.25		6x16	309-0616	1301	5.00	3.00	3.50
	18x10	307-1810	8044	22.75	23.50	2.75		6x18	309-0618	4200	5.00	3.00	3.50
	18x12	307-1812	9211	23.75	26.50	4.25		6x20	309-0620	5700	5.00	3.00	4.00
	18x14	307-1814	9945	25.25	29.50	5.75		6x24	309-0624	8500	5.25	3.00	4.00
	18x16	307-1816	11298	26.25	31.50	6.75		8x10	309-0810	686	6.50	4.00	5.00
	18x18	307-1818	12700	27.00	36.00	7.75		8x12	309-0812	913	3.42	4.00	5.00
	20x4	307-0204	6820	19.50	16.00	-2.00		8x14	309-0814	1165	5.00	4.00	3.00
	20x6	307-0206	7774	20.75	18.00	-1.00		8x16	309-0816	1460	5.25	4.00	3.50
	20x8	307-0208	8815	21.75	22.00	1.00		8x18	309-0818	4300	5.25	4.00	3.50
	20x10	307-2010	9664	24.25	26.00	3.00		8x20	309-0820	5800	5.25	4.00	4.00
	20x12	307-2012	10947	25.25	28.00	4.00		8x24	309-0824	8600	5.50	4.00	4.00
20x14	307-2014	11740	26.75	30.00	5.00	10x12	309-1012	1104	7.00	5.00	6.00		
20x16	307-2016	13180	27.75	33.00	6.50	10x14	309-1014	1438	6.00	5.00	3.00		
20x18	307-2018	15633	28.50	40.00	10.00	10x16	309-1016	1733	6.25	5.00	3.50		
20x20	307-2020	15700	31.25	41.00	7.00	10x18	309-1018	4600	6.25	5.00	3.50		
24x4	307-0244	10537	22.25	18.00	-3.00	10x20	309-1020	6100	6.25	5.00	4.00		
24x6	307-0246	11800	23.50	20.00	-2.00	10x24	309-1024	8900	6.50	5.00	4.00		
24x8	307-0248	13148	24.50	24.00	0.00	12x14	309-1214	1721	6.00	6.00	3.00		
24x10	307-2410	14152	27.00	28.00	2.00	12x16	309-1216	2016	6.25	6.00	3.50		
24x12	307-2412	15744	28.00	30.00	3.00	12x18	309-1218	4900	6.25	6.00	3.50		
24x14	307-2414	16691	29.50	32.00	4.00	12x20	309-1220	6400	6.25	6.00	4.00		
24x16	307-2416	18362	30.50	35.00	5.50	12x24	309-1224	9200	6.50	6.00	4.00		
24x18	307-2418	21278	31.25	42.00	9.00	14x16	309-1416	2355	7.75	7.00	3.50		
24x20	307-2420	24683	34.00	44.00	10.00	14x18	309-1418	5200	7.75	7.00	3.50		
24x24	307-2424	30403	41.00	52.00	14.00	14x20	309-1420	6700	7.75	7.00	4.00		
				(J)	(M)	(L)		14x24	309-1424	9500	8.00	7.00	4.00
	4*	308-0044	280	6.38	3.25	6.38		16x18	309-1618	5700	7.75	8.00	3.50
								16x20	309-1620	7200	7.75	8.00	4.00
								16x24	309-1624	10000	7.75	8.00	4.00
								18x20	309-1820	6700	8.75	9.00	4.00
								18x24	309-1824	8200	9.00	9.00	4.00
								20x24	309-2024	11700	9.00	10.00	4.00

*DENOTES MOLDED FITTING. ALL OTHERS ARE FABRICATED.



4" - 24" SOLVENT WELD SCHEDULE 40 DWV FITTINGS




Fittings are manufactured from Schedule 40 pipe that meets ASTM D 2665 or ASTM D 1785 specifications. To be used for non-pressure drainage applications only.

 REDUCER BUSHING SxH	SIZE	PART #	LB/ 100	(R)	(SD)	(S)	 ECCENTRIC REDUCER COUPLING HxH	SIZE	PART #	LB/ 100	(R)	(SD)	(SD1)
	6x4	310-0064	393	6.00	1.75	3.50		4x6	309-0046ECC	230	2.50	2.00	3.00
8x4	310-0084	779	4.50	2.00	7.50	4x8	309-0048ECC	389	2.25	2.00	4.00		
8x6	310-0086	807	6.00	3.00	6.50	4x10	309-0410ECC	407	2.63	2.00	4.00		
10x4	310-0104	1080	6.63	2.00	8.00	4x12	309-0412ECC	647	2.67	2.00	5.00		
10x6	310-0106	1200	7.63	3.00	8.00	4x14	309-0414ECC	902	4.25	2.00	3.00		
10x8	310-0108	1360	6.50	4.00	8.00	4x16	309-0416ECC	1197	4.50	2.00	3.50		
12x4	310-0124	1630	7.67	2.00	9.00	4x18	309-0418ECC	4100	4.50	2.00	3.50		
12x6	310-0126	1750	8.67	3.00	9.00	4x20	309-0420ECC	5600	4.50	2.00	4.00		
12x8	310-0128	1900	8.42	4.00	9.00	4x24	309-0424ECC	8400	4.75	2.00	4.00		
12x10	310-1210	2090	7.00	5.00	9.00	6x8	309-0068ECC	500	3.50	3.00	4.00		
14x4	310-0144	2100	7.25	2.00	10.00	6x10	309-0610ECC	527	3.63	3.00	4.00		
14x6	310-0146	2200	7.75	3.00	10.00	6x12	309-0612ECC	767	3.67	3.00	5.00		
14x8	310-0148	2400	8.00	4.00	10.00	6x14	309-0614ECC	1020	4.75	3.00	3.00		
14x10	310-1410	2600	9.00	5.00	10.00	6x16	309-0616ECC	1301	5.00	3.00	3.50		
14x12	310-1412	2900	9.00	6.00	10.00	6x18	309-0618ECC	4200	5.00	3.00	3.50		
16x4	310-0164	3000	8.00	2.00	11.00	6x20	309-0620ECC	5700	5.00	3.00	4.00		
16x6	310-0166	3100	8.50	3.00	11.00	6x24	309-0624ECC	8500	5.25	3.00	4.00		
16x8	310-0168	3200	8.75	4.00	11.00	8x10	309-0810ECC	670	3.25	4.00	4.00		
16x10	310-1610	3500	9.75	5.00	11.00	8x12	309-0812ECC	913	3.42	4.00	5.00		
16x12	310-1612	3800	9.75	6.00	11.00	8x14	309-0814ECC	1165	5.00	4.00	3.00		
16x14	310-1614	4100	11.25	7.00	11.00	8x16	309-0816ECC	1460	5.25	4.00	3.50		
18x4	310-0184	4000	8.00	2.00	13.00	8x18	309-0818ECC	4300	5.25	4.00	3.50		
18x6	310-0186	4100	8.50	3.00	13.00	8x20	309-0820ECC	5800	5.25	4.00	4.00		
18x8	310-0188	4300	8.75	4.00	13.00	8x24	309-0824ECC	8600	5.50	4.00	4.00		
18x10	310-1810	4500	9.75	5.00	13.00	10x12	309-1012ECC	1180	4.25	5.00	5.00		
18x12	310-1812	4700	9.75	6.00	13.00	10x14	309-1014ECC	1438	6.00	5.00	3.00		
18x14	310-1814	5100	11.25	7.00	13.00	10x16	309-1016ECC	1733	6.25	5.00	3.50		
18x16	310-1816	5500	11.25	8.00	13.00	10x18	309-1018ECC	4600	6.25	5.00	3.50		
20x4	310-0204	6700	8.50	2.00	13.00	10x20	309-1020ECC	6100	6.25	5.00	4.00		
20x6	310-0206	6800	9.00	3.00	13.00	10x24	309-1024ECC	8900	6.50	5.00	4.00		
20x8	310-0208	7000	9.25	4.00	13.00	12x14	3091214ECC	1721	6.00	6.00	3.00		
20x10	310-2010	7200	10.25	5.00	13.00	12x16	309-1216ECC	2016	6.25	6.00	3.50		
20x12	310-2012	7400	10.25	6.00	13.00	12x18	309-1218ECC	4900	6.25	6.00	3.50		
20x14	310-2014	7800	11.75	7.00	13.00	12x20	309-1220ECC	6400	6.25	6.00	4.00		
20x16	310-2016	8200	11.75	8.00	13.00	12x24	309-1224ECC	9200	6.50	6.00	4.00		
20x18	310-2018	8700	12.75	9.00	13.00	14x16	309-1416ECC	2355	7.75	7.00	3.50		
24x4	310-0244	10400	8.75	2.00	15.00	14x18	309-1418ECC	5200	7.75	7.00	3.50		
24x6	310-0246	10500	9.25	3.00	15.00	14x20	309-1420ECC	6700	7.75	7.00	4.00		
24x8	310-0248	10700	9.50	4.00	15.00	14x24	309-1424ECC	9500	8.00	7.00	4.00		
24x10	310-2410	10900	10.50	5.00	15.00	16x18	309-1618ECC	5700	7.75	8.00	3.50		
24x12	310-2412	11100	10.50	6.00	15.00	16x20	309-1620ECC	7200	7.75	8.00	4.00		
24x14	310-2414	11500	12.00	7.00	15.00	16x24	309-1624ECC	10000	7.75	8.00	4.00		
24x16	310-2416	11900	11.75	8.00	15.00	18x20	309-1820ECC	6700	8.75	9.00	4.00		
24x18	310-2418	12400	13.00	9.00	15.00	18x24	309-1824ECC	8200	9.00	9.00	4.00		
24x20	310-2420	12800	13.00	10.00	15.00	20x24	309-2024ECC	11700	9.00	10.00	4.00		



4" - 24" SOLVENT WELD SCHEDULE 40 DWV FITTINGS

Fittings are manufactured from Schedule 40 pipe that meets ASTM D 2665 or ASTM D 1785 specifications. To be used for non-pressure drainage applications only.




	SIZE	PART #	LB/ 100	(R)	(SD)	(S)		SIZE	PART #	LB/ 100	(F)	(SD)		
		6x4	310-0064ECC	250	2.50	2.00		4.00		4*	311-0004	62		.52
	8x4	310-0084ECC	779	4.50	2.00	7.50		6*	311-0006	157	.40	3.00		
	8x6	310-0086ECC	840	7.50	3.00	7.50		8*	311-0008	312	.40	4.00		
	10x4	310-0104ECC	1080	6.63	2.00	8.00		10	311-0010	330	.38	4.00		
	10x6	310-0106ECC	1200	7.63	3.00	8.00		12	311-0012	570	.42	5.00		
	10x8	310-0108ECC	1350	7.25	4.00	8.00		14	311-0014	825	2.00	3.00		
	12x4	310-0124ECC	1630	7.67	2.00	9.00		16	311-0016	1120	2.25	3.50		
	12x6	310-0126ECC	1750	8.67	3.00	9.00		18	311-0018	4000	2.25	3.50		
	12x8	310-0128ECC	1900	8.42	4.00	9.00		20	311-0020	5500	2.25	4.00		
	12x10	310-1210ECC	2160	9.37	5.00	9.00		24	311-0024	8300	2.50	4.00		
	14x4	310-0144ECC	2100	7.25	2.00	10.00					(L)	(S)		
	14x6	310-0146ECC	2200	7.75	3.00	10.00		4*	312-0004	82	3.74	3.50		
	14x8	310-0148ECC	2400	8.00	4.00	10.00		6*	312-0006	175	4.30	4.00		
	14x10	310-1410ECC	2600	9.00	5.00	10.00		8	312-0008	650	10.88	6.50		
	14x12	310-1412ECC	2900	9.00	6.00	10.00		10	312-0010	1010	12.38	8.00		
	16x4	310-0164ECC	3000	8.00	2.00	11.00		12	312-0012	1550	14.42	9.00		
	16x6	310-0166ECC	3100	8.50	3.00	11.00		14	312-0014	2000	15.00	10.00		
	16x8	310-0168ECC	3200	8.75	4.00	11.00		16	312-0016	2900	16.75	11.00		
	16x10	310-1610ECC	3500	9.75	5.00	11.00		18	312-0018	3900	18.75	13.00		
	16x12	310-1612ECC	3800	9.75	6.00	11.00		20	312-0020	6600	19.25	13.00		
	16x14	310-1614ECC	4100	11.25	7.00	11.00		24	312-0024	10300	21.50	15.00		
	18x4	310-0184ECC	4000	8.00	2.00	13.00								
	18x6	310-0186ECC	4100	8.50	3.00	13.00								
	18x8	310-0188ECC	4300	8.75	4.00	13.00					(J)	(L)	(L1)	
	18x10	310-1810ECC	4500	9.75	5.00	13.00		4x4*	313-0044	242	4.27	3.90	6.55	
	18x12	310-1812ECC	4700	9.75	6.00	13.00		6x4*	313-0064	418	3.62	4.31	5.93	
	18x14	310-1814ECC	5100	11.25	7.00	13.00		6x6*	313-0066	575	5.00	5.00	8.50	
	18x16	310-1816ECC	5500	11.25	8.00	13.00		8x4	313-0084	1027	7.38	8.88	11.00	
	20x4	310-0204ECC	6700	8.50	2.00	13.00		8x6	313-0086	1383	13.63	10.88	14.00	
	20x6	310-0206ECC	6800	9.00	3.00	13.00		8x8	313-0088	1862	14.00	14.00	14.12	
	20x8	310-0208ECC	7000	9.25	4.00	13.00		10x4	313-0104	1594	7.63	9.88	11.50	
	20x10	310-2010ECC	7200	10.25	5.00	13.00		10x6	313-0106	2017	10.13	11.88	15.00	
	20x12	310-2012ECC	7400	10.25	6.00	13.00		10x8	313-0108	2559	12.63	13.50	19.00	
	20x14	310-2014ECC	7800	11.75	7.00	13.00		12x4	313-0124	2236	7.63	10.88	11.50	
	20x16	310-2016ECC	8200	11.75	8.00	13.00		12x6	313-0126	2747	10.13	12.88	15.00	
	20x18	310-2018ECC	8700	12.75	9.00	13.00		12x8	313-0128	3357	12.63	14.50	19.00	
	24x4	310-0244ECC	10400	8.75	2.00	15.00		14x4	313-0144	2794	8.38	11.50	13.00	
	24x6	310-0246ECC	10500	9.25	3.00	15.00		14x6	313-0146	3370	11.13	13.50	17.00	
	24x8	310-0248ECC	10700	9.50	4.00	15.00		14x8	313-0148	4032	13.63	15.13	21.00	
	24x10	310-2410ECC	10900	10.50	5.00	15.00		16x4	313-0164	3884	8.25	12.50	12.75	
	24x12	310-2412ECC	11100	10.50	6.00	15.00		16x6	313-0166	4580	11.00	14.50	16.75	
	24x14	310-2414ECC	11500	12.00	7.00	15.00		16x8	313-0168	5362	13.50	16.13	20.75	
	24x16	310-2416ECC	11900	11.75	8.00	15.00		18x4	313-0184	5497	8.62	13.50	13.50	
	24x18	310-2418ECC	12400	13.00	9.00	15.00		18x6	313-0186	6364	10.87	15.50	16.50	
	24x20	310-2420ECC	12800	13.00	10.00	15.00		18x8	313-0188	7316	13.37	17.25	20.50	
								20x4	313-0204	6825	9.87	14.50	16.00	
								20x6	313-0206	7808	11.62	16.50	18.00	
ECCENTRIC REDUCER BUSHING SxH							 T-Y HxHxH							

*DENOTES MOLDED FITTING. ALL OTHERS ARE FABRICATED.











4" - 24" SOLVENT WELD SCHEDULE 40 DWV FITTINGS

Fittings are manufactured from Schedule 40 pipe that meets ASTM D 2665 or ASTM D 1785 specifications. To be used for non-pressure drainage applications only.

	SIZE	PART #	LB/ 100	(J)	(L)	(L1)		SIZE	PART #	LB/ 100	(L)	(J)	(L1)
	T-Y HxHxH	20x8	313-0208	8878	14.12	18.25		22.00		18x12	315-1812	10712	23.75
	24x4	313-0244	10542	10.87	16.50	18.00		18x14	315-1814	11845	25.25	23.75	29.50
	24x6	313-0246	11834	12.62	18.50	20.00		18x16	315-1816	14048	26.25	24.75	31.50
	24x8	313-0248	13211	15.12	20.25	24.00		18x18	315-1818	17200	27.00	26.25	34.50
 FULL & REDUCING T-Y SXHXH	4*	314-0044	240	3.90	5.85	8.10		20x4	315-0204	6949	19.50	18.00	16.00
								20x6	315-0206	8070	20.75	19.00	18.00
								20x8	315-0208	9364	21.75	21.00	22.00
								20x10	315-2010	10669	24.25	23.00	26.00
								20x12	315-2012	12448	25.25	24.00	28.00
								20x14	315-2014	13640	26.75	25.00	30.00
								20x16	315-2016	15930	27.75	26.50	33.00
								20x18	315-2018	19655	28.50	30.00	40.00
								20x20	315-2020	21300	31.25	27.00	41.00
								24x4	315-0244	10666	22.25	21.00	18.00
 FULL & REDUCING DOUBLEWYE HxHxHxH				(L)	(J)	(L1)		24x6	315-0246	12096	23.50	22.00	20.00
	6x4*	315-0064	534	7.43	6.68	6.87		24x8	315-0248	13697	24.50	24.00	24.00
	6x6	315-0066	1192	11.13	10.06	13.50		24x10	315-2410	15157	27.00	26.00	28.00
	8x4	315-0084	1151	11.38	9.56	10.50		24x12	315-2412	17245	28.00	27.00	30.00
	8x6	315-0086	1634	12.50	11.94	14.00		24x14	315-2414	18591	29.50	28.00	32.00
	8x8	315-0088	2288	13.50	12.81	17.00		24x16	315-2416	21112	30.50	29.50	35.00
	10x4	315-0104	1692	12.88	11.13	11.50		24x18	315-2418	25300	31.25	33.00	42.00
	10x6	315-0106	2268	14.06	12.88	15.00		24x20	315-2420	30193	34.00	34.00	44.00
	10x8	315-0108	3045	15.13	14.88	19.00		24x24	315-2424	40537	41.00	38.00	52.00
	10x10	315-1010	4184	17.63	16.63	22.50					(C)	(H)	(D)
	12x4	315-0124	2350	14.25	12.12	11.50		6x4	326-0064	607	7.25	5.56	4.25
	12x6	315-0126	2978	15.50	13.88	15.00		6x6	326-0066	896	8.50	5.56	5.25
	12x8	315-0128	3843	16.50	15.88	19.00		8x4	326-0084	950	8.25	6.56	4.25
	12x10	315-1210	4924	19.00	17.00	21.25		8x6	326-0086	1248	9.50	7.06	5.25
	12x12	315-1212	6348	20.00	19.38	26.00		8x8	326-0088	1716	10.75	7.31	6.75
	14x4	315-0144	2918	15.13	13.50	13.00		10x4	326-0104	1478	9.75	7.63	4.75
	14x6	315-0146	3628	16.38	15.50	17.00		10x6	326-0106	1846	11.00	8.13	6.00
	14x8	315-0148	4518	17.38	17.50	21.00		10x8	326-0108	2327	12.25	8.38	7.25
	14x10	315-1410	5610	19.88	18.50	23.00		10x10	326-1010	3049	13.50	9.38	8.50
	14x12	315-1412	6992	20.88	20.50	27.00		12x4	326-0124	2075	10.75	8.63	4.75
	14x14	315-1414	7980	22.38	21.50	29.00		12x6	326-0126	2538	12.25	9.13	6.25
	16x4	315-0164	4008	16.50	14.38	12.75		12x8	326-0128	3028	13.25	9.38	7.25
	16x6	315-0166	4838	17.75	16.38	16.75		12x10	326-1210	3745	14.25	10.38	8.25
	16x8	315-0168	5848	18.63	18.38	20.75		12x12	326-1212	4502	15.25	10.38	9.25
	16x10	315-1610	7000	21.25	19.38	22.75		14x4	326-0144	2719	13.00	9.25	6.00
	16x12	315-1612	8502	22.25	21.38	26.75		14x6	326-0146	3117	14.00	9.75	7.00
	16x14	315-1614	9550	23.75	22.50	29.00		14x8	326-0148	3625	15.00	10.00	8.00
	16x16	315-1616	11625	24.75	24.00	32.00		14x10	326-1410	4361	16.00	11.00	9.00
18x4	315-0184	5621	18.00	15.75	13.50		14x12	326-1412	5117	17.00	11.00	10.00	
18x6	315-0186	6626	19.25	17.25	16.50		14x14	326-1414	5985	18.00	12.50	11.00	
18x8	315-0188	7802	20.25	19.25	20.50		16x4	326-0164	3779	13.88	10.25	5.88	
18x10	315-1810	9049	22.75	20.75	23.50		16x6	326-0166	4237	14.88	10.75	6.88	
 FULL & REDUCING CROSS HxHxHxH													








Fittings are manufactured from Schedule 40 pipe that meets ASTM D 2665 or ASTM D 1785 specifications. To be used for non-pressure drainage applications only.

 30 DEGREE EL SxH	SIZE	PART #	LB/ 100	(A)	(L)	(SD)	 90 DEGREE EL SxH	SIZE	PART #	LB/ 100	(D)	(E)	(SD)
		4	362-0004							4*	324-0004	176	3.88
	6	362-0006						6*	324-0006	426	5.03	8.56	3.00
	8	362-0008						8*	324-0008	819	6.00	10.37	4.00
	10	362-0010						10	324-0010	1925	11.38	16.87	5.00
	12	362-0012						12	324-0012	2830	12.13	18.63	6.00
	14	362-0014						14	324-0014	3720	12.00	19.50	7.00
	16	362-0016						16	324-0016	5400	14.00	22.50	8.00
	18	362-0018						18	324-0018	11900	20.50	30.50	9.00
	20	362-0020						20	324-0020	14600	23.50	34.00	10.00
	24	362-0024						24	324-0024	22400	25.75	38.25	12.00
 45 DEGREE EL HxH				(A)	(SD)	(L)	1-44 DEGREE FABRICATED BENDS HxH and SxH	Give GPK's Customer Service Department a call for the specifications you need for these elbows. Call us TOLL FREE at 1-800-437-4670.					
	4*	321-0004	147	2.19	1.75	3.94		Give size and angle of elbow needed for proper specifications.					
	6*	321-0006	315	2.00	3.00	5.00							
	8*	321-0008	580	2.00	4.00	6.00							
	10	321-0010	1395	5.12	5.00	10.12							
	12	321-0012	2038	5.38	6.00	11.38							
	14	321-0014	2720	5.75	7.00	12.75							
 45 DEGREE EL SxH				(A)	(L)	(SD)	44-89 DEGREE FABRICATED BENDS HxH and SxH	Give GPK's Customer Service Department a call for the specifications you need for these elbows. Call us TOLL FREE at 1-800-437-4670.					
	18	321-0018	8038	10.50	9.00	19.50		Give size and angle of elbow needed for proper specifications.					
	20	321-0020	10092	11.75	10.00	21.75							
	24	321-0024	15596	12.75	12.00	24.75							
 45 DEGREE EL HxH				(G)	(SD)	(L)	 FIPT X SCH 40 SPIGOT ADAPTER				(L)	(L1)	(L2)
	4*	323-0004	180	3.88	1.75	5.63		4*	327-0004	80	3.62	2.00	1.31
	6*	323-0006	429	5.03	3.00	8.06		6*	327-0006	269	9.87	3.00	1.62
	8*	323-0008	824	6.00	4.00	10.00		8*	327-0008	296	5.75	4.00	1.50
	10	323-0010	1925	11.38	5.00	16.38							
	12	323-0012	2830	12.13	6.00	18.13							
	14	323-0014	3720	12.00	7.00	19.00							
	16	323-0016	5400	14.00	8.00	22.00							
	18	323-0018	11900	20.50	9.00	29.50							
 90 DEGREE EL HxH							 FIPT x SCH 40 HUB ADAPTER				(L)	(S)	
	4*	328-0004	40	1.93	.93			4*	328-0004	40	1.93	.93	
	6*	328-0006	55	2.00	1.00			6*	328-0006	55	2.00	1.00	
	8*	328-0008	144	2.12	1.12			8*	328-0008	144	2.12	1.12	



Fittings are manufactured from Schedule 40 pipe that meets ASTM D 2665 or ASTM D 1785 specifications. To be used for non-pressure drainage applications only.







 IPS HUB x SEWER SPIGOT ADAPTER	SIZE	PART #	LB/ 100	(L)	(SD)	(S)	 COMBOT-Y HXHXH	SIZE	PART #	LB/ 100	(J)	(L)	(L1)
	4*	230-0004	45	.20	1.80	3.12		4x4*	348-0044	420	8.50	10.00	10.00
6*	230-0006	136	.25	3.10	3.70	6x4	348-0064	781	11.80	12.10	10.50		
8	230-0008	376	1.00	4.00	5.50	6x6	348-0066	1476	17.30	15.90	13.50		
10	230-0010	698	1.25	5.00	6.25	8x4	348-0084	1155	12.10	13.10	11.00		
12	230-0012	1078	1.25	6.00	6.25	8x6	348-0086	1882	16.90	16.80	14.00		
4x6*	230-0064	116	.185	1.80	3.63	8x8	348-0088	2618	20.80	18.60	17.00		
 IPS SPIGOT x SEWER HUB ADAPTER				(L)	(SD)	(S)	10x4	348-0104	1702	12.30	14.20	11.50	
	4*	231-0004	20	.12	1.92	1.80	10x6	348-0106	2516	18.10	18.00	15.00	
	6*	231-0006	132	0	3.10	3.70	10x8	348-0108	3366	21.90	19.80	19.00	
	8	231-0008	546	1.00	4.00	6.50	12x4	348-0124	2360	12.30	15.20	11.50	
	10	231-0010	957	1.25	5.00	8.00	12x6	348-0126	3226	18.10	19.00	15.00	
	12	231-0012	1437	1.25	6.00	9.00	12x8	348-0128	4173	21.90	20.70	19.00	
 IPS HUB x SEWER HUB ADAPTER				(N)	(D)	(C)	14x4	348-0144	2928	13.00	15.80	13.00	
	4*	232-0004	37	.25	1.80	1.80	14x6	348-0146	3876	19.10	19.60	17.00	
	6*	232-0006	135	.30	3.10	3.10	14x8	348-0148	4848	22.90	21.40	21.00	
	8	232-0008	403	3.00	4.00	4.00	16x4	348-0164	4018	12.90	16.70	12.75	
	10	232-0010	734	3.00	5.00	5.00	16x6	348-0166	5086	18.20	20.60	16.75	
	12	232-0012	1197	3.00	6.00	6.00	16x8	348-0168	6178	22.80	22.40	20.75	
	3x4*	232-0034	44	.60	1.80	1.55	18x4	348-0128	5631	13.30	17.80	13.50	
 COUNTERSUNK MIPTPLUG				(S)			18x6	348-0186	6872	18.90	21.60	16.50	
	4*	334-0004	34	.94			18x8	348-0188	8132	22.60	23.40	20.50	
							20x4	348-0204	6959	16.00	18.80	14.25	
							20x6	348-0206	8316	18.00	22.60	16.50	
							20x8	348-0208	9694	22.00	24.40	20.50	
							24x4	348-0244	10676	18.00	20.80	15.00	
							24x6	348-0246	12342	20.00	24.60	16.50	
							24x8	348-0248	14027	24.00	26.40	20.50	

*DENOTES MOLDED FITTING. ALL OTHERS ARE FABRICATED.



4" - 12" GASKETED SCHEDULE 40 DWV FITTINGS











Fittings are manufactured from Schedule 40 pipe that meets ASTM D 2665 or ASTM D 1785 specifications. To be used for non-pressure drainage applications only.

 ECCENTRIC REDUCER COUPLING GxG	SIZE	PART #	LB/ 100	(R)	(SD)	(SD1)	 FULL & REDUCING DOUBLE WYE GxGxGxG	SIZE	PART #	LB/ 100	(J)	(L)	(L1)
	4x6	G309-0046ECC	520	6.75	4.50	5.00			6x4*	G315-0064	1257	9.50	10.10
4x8	G309-0048ECC	920	6.88	4.50	5.75		6x6	G315-0066	1698	10.75	10.90	15.00	
4x10	G309-0410ECC	1260	7.12	4.50	6.00		8x4	G315-0084	1641	9.62	10.80	10.50	
4x12	G309-0412ECC	1800	8.42	4.50	6.25		8x6	G315-0086	2262	11.37	12.30	14.00	
6x8	G309-0068ECC	2320	8.75	5.00	5.75		8x8	G315-0088	3011	15.75	14.37	22.75	
6x10	G309-0610ECC	1420	7.12	5.00	6.00		10x4	G315-0104	2261	11.37	12.30	17.00	
6x12	G309-0612ECC	1960	8.42	5.00	6.25		10x6	G315-0106	2948	13.12	13.80	15.50	
8x10	G309-0810ECC	1650	9.50	5.75	6.00		10x8	G315-0108	3820	15.12	15.87	19.50	
8x12	G309-0812ECC	2190	8.90	5.75	6.25		10x10	G315-1010	4911	16.87	17.50	23.00	
10x12	G309-1012ECC	2750	11.37	6.00	6.25		12x4	G315-0124	2916	12.62	13.70	12.50	
				(R)	(S)	(SD)		12x6	G315-0126	3677	14.37	15.20	16.00
 ECCENTRIC REDUCER BUSHING SxG	6X4	G310-0064ECC	320	2.75	4.00	4.50		12x8	G315-0128	4632	16.37	17.25	20.00
	8X4	G310-0084ECC	795	5.38	6.50	4.50		12x10	G315-1210	5689	17.50	19.00	22.25
	10X4	G310-0104ECC	1100	7.00	6.50	5.00		12x12	G315-1212	6918	19.87	19.25	27.00
	12X4	G310-0124ECC	1150	5.38	8.00	4.50					(C)	(H)	(D)
	8X6	G310-0086ECC	950	7.25	6.50	5.00		6x4	G326-0064	969	9.00	5.80	4.00
	10X6	G310-0106ECC	1890	8.00	8.00	5.75		6x6	G326-0066	1409	11.00	6.30	6.00
	12X6	G310-0126ECC	1690	6.42	9.00	4.50		8x4	G326-0084	1472	10.00	6.80	4.25
	10X8	G310-0108ECC	1540	7.75	8.00	5.75		8x6	G326-0086	1903	11.00	7.30	5.25
	12X8	G310-0128ECC	2080	6.92	9.00	5.75		8x8	G326-0088	2417	13.00	7.80	7.25
	12X10	G310-1210ECC	2340	9.37	9.00	6.00		10x4	G326-0104	2053	11.00	7.80	5.00
 CAPG	4	G311-0004	196	4.50	2.75			10x6	G326-0106	2555	12.25	8.30	6.25
	6	G311-0006	384	5.00	4.38			10x8	G326-0108	3094	13.50	8.80	7.50
	8	G311-0008	776	5.75	5.88			10x10	G326-1010	3776	15.25	9.30	9.25
	10	G311-0010	1120	6.00	6.13			12x4	G326-0124	2667	11.75	8.80	5.50
	12	G311-0012	1660	6.25	7.42			12x6	G326-0126	3264	13.00	9.30	6.75
					(SD)	(F)		12x8	G326-0128	3812	14.00	9.80	7.75
 PLUGSP	4*	312-0004	82	3.74	3.50			12x10	G326-1210	4503	15.00	10.30	8.75
	6*	312-0006	175	4.30	4.00			12x12	G326-1212	5375	17.00	10.80	10.75
	8	312-0008	650	10.88	6.50								
	10	312-0010	1010	12.38	8.00								
	12	312-0012	1550	14.42	9.00								
 T-Y GxGxG	6x4	G313-0064	945	7.12	7.25	10.50					(L)	(L1)	
	6x6	G313-0066	1300	9.50	8.75	14.00		4	G316-0004	200	8.00	.75	
	8x4	G313-0084	1473	7.00	8.25	10.50		6	G316-0006	350	8.00	.75	
	8x6	G313-0086	1919	9.50	9.75	14.00		8	G316-0008	510	8.00	.75	
	8x8	G313-0088	2339	11.50	12.25	17.00		10	G316-0010	700	8.00	.75	
	10x4	G313-0104	2093	8.00	9.25	12.00		12	G316-0012	925	8.00	.75	
	10x6	G313-0106	2605	10.25	10.75	15.50							
	10x8	G313-0108	3148	13.00	13.50	19.50							
	12x4	G313-0124	2748	8.00	10.25	12.50							
	12x6	G313-0126	3334	10.50	11.75	16.00							
	12x8	G313-0128	3960	13.00	14.50	20.00							



4" - 12" GASKETED SCHEDULE 40 DWV FITTINGS

Fittings are manufactured from Schedule 40 pipe that meets ASTM D 2665 or ASTM D 1785 specifications. To be used for non-pressure drainage applications only.

 11 1/4 DEGREE EL GxG	SIZE	PART #	LB/ 100	(J)	(L)	(SD)	 30 DEGREE EL SxG	SIZE	PART #	LB/ 100	(A)	(L)	(SD)
	4	G359-0004	308						4	G362-0004	285		
6	G359-0006	622					6	G362-0006	550				
8	G359-0008	1050					8	G362-0008	950				
10	G359-0010	1525					10	G362-0010	1400				
12	G359-0012	2154					12	G362-0012	2000				
 11 1/4 DEGREE EL SxG				(J)	(L)	(SD)	 45 DEGREE EL GxG				(A)	(L)	(SD)
	4	G360-0004	275					4	G321-0004	437	4.00	8.50	4.50
6	G360-0006	531				6	G321-0006	814	4.25	9.25	5.00		
8	G360-0008	930				8	G321-0008	1408	6.00	11.75	5.75		
10	G360-0010	1373				10	G321-0010	1612	4.12	10.12	6.00		
12	G360-0012	1976				12	G321-0012	2337	4.62	10.87	6.25		
 22 1/2 DEGREE EL GxG				(J)	(L)	(SD)	 45 DEGREE EL SxG				(A)	(L)	(SD)
	4	G317-0004	400	3.25	7.75	4.50		4	G322-0004	396	4.00	8.75	4.50
6	G317-0006	581	2.25	7.25	5.00	6	G322-0006	788	4.63	9.63	5.00		
8	G317-0008	983	3.37	9.12	5.75	8	G322-0008	1290	6.00	11.75	5.75		
10	G317-0010	1449	2.87	8.87	6.00	10	G322-0010	1536	4.12	11.12	6.00		
12	G317-0012	2023	3.37	9.62	6.25	12	G322-0012	2148	4.62	11.87	6.25		
 22 1/2 DEGREE EL SxG				(J)	(L)	(SD)	 90 DEGREE EL GxG				(G)	(L)	(SD)
	4	G318-0004	357	3.25	8.00	4.50		4	G323-0004	470	6.12	10.62	4.50
6	G318-0006	535	2.25	7.75	5.00	6	G323-0006	1115	10.00	15.00	5.00		
8	G318-0008	967	3.37	10.12	5.75	8	G323-0008	1892	10.62	16.37	5.75		
10	G318-0010	1373	2.87	9.87	6.00	10	G323-0010	2189	10.37	16.37	6.00		
12	G318-0012	1934	3.37	10.62	6.25	12	G323-0012	3095	11.50	17.75	6.25		
 30 DEGREE EL GxG				(A)	(L)	(SD)	 90 DEGREE EL SxG				(D)	(E)	(SD)
	4	G361-0004	325					4	G324-0004	429	6.12	10.75	4.50
6	G361-0006	635				6	G324-0006	1089	10.00	15.50	5.00		
8	G361-0008	1075				8	G324-0008	1774	10.62	16.37	5.75		
10	G361-0010	1550				10	G324-0010	2113	10.37	17.37	6.00		
12	G361-0012	2175				12	G324-0012	3006	11.50	18.75	6.25		

*DENOTES MOLDED FITTING. ALL OTHERS ARE FABRICATED.




Fittings are manufactured from Schedule 40 pipe that meets ASTM D 2665 or ASTM D 1785 specifications. To be used for non-pressure drainage applications only.

	SIZE	PART #	LB/100															
1-44 DEGREE FABRICATED BENDS GxG and SxG Give GPK's Customer Service Department a call for the specifications you need for these elbows. Call us TOLL FREE at 1-800-437-4670 Give size and angle of elbow needed for proper specifications.							COMBO T-Y GXGXG 						SIZE	PART #	LB/100	(J)	(L)	(L1)
													6x4	G348-0064	1276	14.50	14.90	10.50
													6x6	G348-0066	1945	17.60	17.20	14.00
													8x4	G348-0084	1770	14.10	15.90	10.50
													8x6	G348-0086	2505	17.60	18.10	14.00
													8x8	G348-0088	3425	24.30	20.70	17.00
													10x4	G348-0104	2390	15.00	17.00	12.00
													10x6	G348-0106	3191	18.30	19.20	15.50
													10x8	G348-0108	4234	22.70	21.70	19.50
													12x4	G348-0124	3045	15.20	17.90	12.50
													12x6	G348-0126	3920	18.60	20.20	16.00
													12x8	G348-0128	5046	23.00	22.70	20.00
44-89 DEGREE FABRICATED BENDS GxG and SxG Give GPK's Customer Service Department a call for the specifications you need for these elbows. Call us TOLL FREE at 1-800-437-4670. Give size and angle of elbow needed for proper specifications.							DEEP SOCKET 22 1/2 EL GxDSG 									(A)	(J)	(SD)
													4	G317-0DS4	460	3.75	3.75	8.25
													6	G317-0DS6	890	5.00	4.25	8.75
 IPS GxSEWER SPIGOT ADAPTER				(L)	(S)	(SD)	DEEP SOCKET 45 EL GxDSG 											
	4	G330-0004	134	1.00	4.25	4.50												
	6	G330-0006	332	1.00	5.00	5.00												
	8	G330-0008	667	1.50	4.50	5.75												
	10	G330-0010	1054	1.75	5.25	6.00												
12	G330-0012	1623	2.00	6.25	6.25													
 SEWER GxIPS SPIGOT ADAPTER				(L)	(S)	(SD)	DEEP SOCKET SETTLER COUPLING GxDSG 											
	4	G331-0004	173	.87	5.00	2.75												
	6	G331-0006	378	1.00	6.25	3.75												
	8	G331-0008	644	1.62	6.25	4.37												
	10	G331-0010	1310	1.75	8.00	5.00												
12	G331-0012	1375	2.00	9.00	5.00													
 IPS GxSEWER G ADAPTER				(L)	(SD1)	(SD)	DEEP SOCKET SETTLER COUPLING SPxDSG 											
	4	G332-0004	159	2.25	2.75	4.50												
	6	G332-0006	439	2.25	3.75	5.00												
	8	G332-0008	822	3.12	4.37	5.75												
	10	G332-0010	1264	3.50	5.00	6.00												
12	G332-0012	1833	4.00	5.00	6.25													
							DEEP SOCKET SETTLER COUPLING SPxDSG 											
							4	G325-0DS4	276	.75	5.00	8.25						
							6	G325-0DS6	547	1.25	6.00	8.75						



SCHEDULE 40 DIMENSIONS

SIZE	SCH. 40 SOLVENT WELD		SCH. 40 GASKETED			SCH. 40 PIPE
	SD	OD	SD	OD	C	OD
4" Fabricated	2.00	5.00	4.50	5.60	2.80	4.500
4" Molded	1.75					
6" Fabricated	3.00	7.20	5.00	8.15	3.40	6.625
6" Molded	3.00					
8" Fabricated	4.00	9.35	5.75	10.20	4.40	8.625
8" Molded	4.00					
10" Fabricated	5.00	11.55	6.00	12.45	4.60	10.750
12" Fabricated	6.00	13.60	6.25	14.50	5.00	12.750
14" Fabricated	7.00	14.90				14.000
16" Fabricated	8.00	17.15				16.000
18" Fabricated	9.00	19.15				18.000
20" Fabricated	10.00	21.25				20.000
24" Fabricated	12.00	25.50				24.000





IPS WALL THICKNESSES

SIZE				CLASS 63	CLASS 100	CLASS 125	CLASS 160	CLASS 200	CLASS 250	CLASS 315
	SCH 40	SCH 80	SCH 120	SDR 64	SDR 41	SDR 32.5	SDR 26	SDR 21	SDR 17	SDR 13.5
4"	.237	.337	.437	.070	.110	.138	.173	.214	.265	.333
6"	.280	.432	.562	.104	.162	.204	.255	.316	.390	.491
8"	.322	.500	.718	.135	.210	.265	.332	.410	.508	
10"	.365	.593	.843	.168	.262	.331	.413	.511	.632	
12"	.406	.687	1.00	.199	.311	.392	.490	.606	.750	
14"	.437	.750			.341	.430	.538	.666	.823	
16"	.500	.843			.390	.492	.615	.762	.941	
18"	.562	.937			.439	.554	.692	.857	1.059	
20"	.593	1.031			.488	.615	.769	.952	1.176	
24"	.687	1.218			.585	.738	.923	1.143	1.412	

***IF YOU NEED IT,
WE HAVE IT --
OR WE'LL MAKE IT FOR
YOU!***

***We are in business to take
care of you,
OUR CUSTOMERS!***

***PHONE: 1-800-437-4670
FAX: 1-800-822-6989***