

DIMENSIONAL DATA

**G
P
K**

**GASKETED
ULTRA-RIB™
AND
ULTRA CORR
SEWER FITTINGS**

1601 43 Street NW - Fargo, North Dakota 58102
Phone: 701-277-3225 Toll Free: 1-800-437-4670
Fax: 701-277-9286 or 1-800-822-6989

TABLE OF CONTENTS

	<u>PAGE NUMBER</u>
Saddle Wyes - Gasket Branch, Smooth Skirt	3
Saddle Tees - Gasket Branch, Smooth Skirt	3
Tees - BxBxB	3 - 4
Stop Couplings - BxB	4
Repair Couplings - BxB	4
Wyes - BxBxB	4 - 5
Reducer Couplings - BxB	5 - 6
Cap B	6
Plug Sp	6
T-Y's - BxBxB	6
Sanded Manhole Adapters	6
22 1/2 Degree EI - BxB	6
45 Degree EI - BxB	7
90 Degree EI - BxB	7
Smooth Manhole Adapters	7
Socket Dimensions and OD Chart	8



NOTE: 36" is all Ultra Corr.

24", 27", and 30" Ultra Corr available. Dimensions and weights are similar to Ultra Rib.



ULTRA-RIB™ AND ULTRA-CORR FITTINGS

Fittings are produced from SDR 35 ASTM D 3034, F 679, F 794 and F 949 Pipe.
4" and 6" branch lines are PSM/SDR 35. All others are Ultra-Rib™ or Ultra Corr™.

	SIZE	PART #	LB/100	(L)	(L1)	(SD)		SIZE	PART #	LB/100	(D)	(H)	(SD)
		8x4	601-0084	190	9.00	13.50		2.12		8x4	603-0084	725	4.13
	8x6	601-0086	313	10.00	15.50	2.87	8x6	603-0086		887	5.13	6.95	4.25
	10x4	601-0104	194	10.62	13.50	2.12	8x8	603-0088		1174	7.13	7.82	4.25
	10x6	601-0106	317	11.50	15.50	2.87	10x4	603-0104		1267	4.75	8.00	5.00
	12x4	601-0124	202	12.12	13.50	2.12	10x6	603-0106		1518	6.25	8.00	5.00
	12x6	601-0126	325	13.00	15.50	2.87	10x8	603-0108		1776	7.25	8.88	5.00
	15x4	601-0154	202	14.25	13.50	2.12	10x10	603-1010		2090	7.75	9.50	5.00
	15x6	601-0156	325	15.12	15.50	2.87	12x4	603-0124		2015	4.75	9.00	6.25
	18x4	601-0184	224	16.87	13.50	2.12	12x6	603-0126		2334	6.25	9.00	6.25
	18x6	601-0186	347	17.75	15.50	2.87	12x8	603-0128		2636	7.25	9.88	6.25
	21x4	601-0214	224	19.12	13.50	2.12	12x10	603-1210		3048	8.25	10.50	6.25
	21x6	601-0216	347	20.00	15.50	2.87	12x12	603-1212		3505	8.75	10.75	6.25
	24x4	601-0244	232	21.25	13.50	2.12	15x4	603-0154		3444	5.25	10.40	7.50
	24x6	601-0246	355	22.12	15.50	2.87	15x6	603-0156		3761	6.25	10.40	7.50
	27x4	601-0274	240	23.75	13.50	2.12	15x8	603-0158		4136	7.25	11.28	7.50
	27x6	601-0276	363	24.62	15.50	2.87	15x10	603-1510		4621	8.25	11.90	7.50
	30x4	601-0304	240	20.50	13.50	2.12	15x12	603-1512		5226	9.25	12.15	7.50
	30x6	601-0306	363	21.37	15.50	2.87	15x15	603-1515		6460	11.25	13.40	7.50
	36x4	01-0364	240	24.75	13.50	2.12	18x4	603-0184		5524	5.75	12.10	8.50
	36x6	01-0366	363	25.62	15.50	2.87	18x6	603-0186		5957	6.75	12.10	8.50
							18x8	603-0188	6443	7.75	12.98	8.50	
				(H)	(L)	(SD)	18x10	603-1810	7038	8.75	13.60	8.50	
	8x4	602-0084	182	4.90	14.00	2.25	18x12	603-1812	7754	9.75	13.85	8.50	
	8x6	602-0086	253	5.00	15.62	2.87	18x15	603-1815	9200	12.25	15.10	8.50	
	10x4	602-0104	186	6.00	14.00	2.25	18x18	603-1818	11199	13.50	16.60	8.50	
	10x6	602-0106	257	6.13	15.62	2.87	21x4	603-0214	9500	7.50	13.75	10.25	
	12x4	602-0124	194	7.05	14.00	2.25	21x6	603-0216	10100	8.50	13.75	10.25	
	12x6	602-0126	265	7.18	15.62	2.87	21x8	603-0218	10700	9.50	14.63	10.25	
	15x4	602-0154	194	8.50	14.00	2.25	21x10	603-2110	11500	10.50	15.25	10.25	
	15x6	602-0156	265	8.63	15.62	2.87	21x12	603-2112	12300	11.50	15.50	10.25	
	18x4	602-0184	216	10.37	14.00	2.25	21x15	603-2115	14000	13.50	16.75	10.25	
	18x6	602-0186	287	10.50	15.62	2.87	21x18	603-2118	16200	15.00	18.25	10.25	
	21x4	602-0214	216	11.87	14.00	2.25	21x21	603-2121	18700	17.00	18.50	10.25	
	21x6	602-0216	287	12.12	15.62	2.87	24x4	603-0244	11400	7.50	15.12	9.25	
	24x4	602-0244	224	13.50	14.00	2.25	24x6	603-0246	12100	8.50	15.12	9.25	
	24x6	602-0246	295	14.62	15.62	2.87	24x8	603-0248	12800	9.50	16.00	9.25	
	27x4	602-0274	233	15.37	14.00	2.25	24x10	603-2410	13700	10.50	16.62	9.25	
	27x6	602-0276	303	15.62	15.62	2.87	24x12	603-2412	14700	11.50	16.87	9.25	
	30x4	602-0304	233	18.25	14.00	2.25	24x15	603-2415	16700	13.50	18.12	9.25	
	30x6	602-0306	303	18.37	15.62	2.87	24x18	603-2418	19000	15.00	19.62	9.25	
	36x4	02-0364	233	21.25	14.00	2.25	24x21	603-2421	21800	17.00	20.00	9.25	
	36x6	02-0366	303	21.37	15.62	2.87	24x24	603-2424	23900	19.00	20.00	9.25	
							27x4	603-0274	16400	8.00	16.75	10.50	
							27x6	603-0276	17200	9.00	16.75	10.50	
							27x8	603-0278	18100	10.00	17.62	10.50	
							27x10	603-2710	19100	11.00	18.25	10.50	



ULTRA-RIB™ AND ULTRA-CORR FITTINGS

Fittings are produced from SDR 35 ASTM D 3034, F 679, F 794 and F 949 Pipe.
4" and 6" branch lines are PSM/SDR 35. All others are Ultra-Rib™ or Ultra Corr™.





SIZE	PART #	LB/100	(D)	(H)	(SD)	SIZE	PART #	LB/100	(D)	(L)							
											(H)	(J)	(L)				
<p>REPAIR COUPLING BxB</p>						8	606-0008	325	10.00	8.00							
						10	606-0010	651	12.50	9.00							
						12	606-0012	1145	15.00	11.25							
						15	606-0015	1931	18.00	13.50							
						18	606-0018	3130	22.00	15.50							
						21	606-0021	5800	25.50	19.50							
						24	606-0024	6500	28.00	16.50							
						27	606-0027	8900	31.75	17.00							
						30	606-0030	12600	36.25	19.00							
						36	06-0036	7800	43.25	20.00							
<p>FULL & REDUCING TEE BxBxB</p>									(H)	(J)	(L)						
						8x4	607-0084	848	1.42	9.82	11.25						
						8x6	607-0086	1044	2.42	10.82	11.75						
						8x8	607-0088	1426	4.43	12.83	14.13						
						10x4	607-0104	13393	.50	11.00	12.75						
						10x6	607-0106	1680	2.00	12.50	13.25						
						10x8	607-0108	2137	4.00	14.50	15.63						
						10x10	607-1010	2633	5.00	15.50	17.13						
						12x4	607-0124	2186	-.50	12.00	14.00						
						12x6	607-0126	2578	1.25	13.75	14.50						
						12x8	607-0128	3087	3.00	15.50	16.88						
						12x10	607-1210	3703	4.50	17.00	18.38						
						12x12	607-1212	5542	6.00	18.50	20.13						
						15x4	607-0154	3688	-1.40	13.90	16.00						
						15x6	607-0156	4152	.10	15.40	16.50						
						15x8	607-0158	4844	2.10	17.40	16.50						
						15x10	607-1510	5570	3.60	18.90	20.38						
						15x12	607-1512	6519	5.10	20.40	22.13						
						15x15	607-1515	8171	7.10	22.40	24.88						
						18x4	607-0184	5884	-2.60	16.10	18.50						
18x6	607-0186	6514	-1.10	17.60	19.00												
18x8	607-0188	7428	.90	19.60	21.38												
18x10	607-1810	8320	2.40	21.10	22.88												
18x12	607-1812	9435	3.90	22.60	24.63												
18x15	607-1815	11055	4.90	23.60	27.38												
18x18	607-1818	14676	9.90	28.60	29.88												
21x4	607-0214	10000	-2.50	19.50	19.87												
21x6	607-0216	10600	-1.50	20.50	21.25												
21x8	607-0218	11800	.50	22.50	23.75												
21x10	607-2110	13100	2.50	24.50	25.25												
21x12	607-2112	14200	3.50	25.50	27.00												
21x15	607-2115	16600	6.00	28.00	29.75												
21x18	607-2118	20800	10.50	32.50	32.25												
21x21	607-2121	25200	14.50	36.50	33.50												
<p>STOPCOUPLING BxB</p>									(B)	(N)							
						8	605-0008	480	4.25	2.75							
						10	605-0010	809	5.00	2.00							
						12	605-0012	1460	6.25	3.00							
						15	605-0015	2370	7.50	1.50							
						18	605-0018	4600	8.50	6.00							
						21	605-0021	7900	10.25	8.00							
						24	605-0024	9200	9.25	8.00							
						27	605-0027	13000	10.50	7.00							
						30	605-0030	20600	10.50	14.00							
36	05-0036	11900	10.50	14.00													
<p>FULL & REDUCING WYE BxBxB</p>																	



ULTRA-RIB™ AND ULTRA-CORR FITTINGS

Fittings are produced from SDR 35 ASTM D 3034, F 679, F 794 and F 949 Pipe.
4" and 6" branch lines are PSM/SDR 35. All others are Ultra-Rib™ or Ultra Corr™.








	SIZE	PART #	LB/100	(H)	(J)	(L)		SIZE	PART #	LB/100	(R)	(SD)	(SD1)
		24x4	607-0244	12000	-4.00	21.00		21.75		10x6	609-0106	1020	7.37
	24x6	607-0246	12700	-3.00	22.00	23.25		10x8	609-0108	1100	9.63	5.00	4.25
	24x8	607-0248	14200	-1.00	24.00	25.62		12x4	609-0124	1480	7.62	6.25	2.75
	24x10	607-2410	15800	1.00	26.00	27.12		12x6	609-0126	1580	7.62	6.25	3.75
	24x12	607-2412	17000	2.00	27.00	28.87		12x8	609-0128	1730	6.50	6.25	4.25
	24x15	607-2415	17000	4.50	29.50	31.62		12x10	609-1210	1981	10.75	6.25	5.00
	24x18	607-2418	24500	9.00	34.00	34.12		15x4	609-0154	2561	10.50	7.50	2.75
	24x21	607-2421	29500	13.00	38.00	34.25		15x6	609-0156	2655	10.50	7.50	3.75
	24x24	607-2424	30200	11.00	36.00	39.75		15x8	609-0158	2808	11.38	7.50	4.25
	27x4	607-0274	17100	-5.00	23.00	24.00		15x10	609-1510	3070	12.00	7.50	5.00
	27x6	607-0276	18000	-4.00	24.00	25.50		15x12	609-1512	3451	12.25	7.50	6.25
	27x8	607-0278	19800	-2.00	26.00	27.87		18x4	609-0184	4321	12.25	8.50	2.75
	27x10	607-2710	21700	0.00	28.00	29.37		18x6	609-0186	4415	12.25	8.50	3.75
	27x12	607-2712	23000	1.00	29.00	31.12		18x8	609-0188	4568	13.13	8.50	4.25
	27x15	607-2715	26100	4.00	31.50	33.87		18x10	609-1810	4803	13.75	8.50	5.00
	27x18	607-2718	30100	6.00	34.00	36.37		18x12	609-1812	5212	14.00	8.50	6.25
	27x21	607-2721	35600	10.00	38.00	36.50		18x15	609-1815	6001	15.25	8.50	7.50
	27x24	607-2724	39100	12.00	40.00	42.00		21x4	609-0214	6900	12.75	10.25	2.75
	27x27	607-2727	44500	14.00	42.00	41.25		21x6	609-0216	7000	12.75	10.25	3.75
	30x4	607-0304	22200	-7.50	24.50	26.87		21x8	609-0218	7200	13.63	10.25	4.25
	30x6	607-0306	23400	-6.50	25.50	28.37		21x10	609-2110	7400	14.25	10.25	5.00
	30x8	607-0308	25600	-4.50	27.50	30.75		21x12	609-2112	7800	14.50	110.25	6.25
	30x10	607-3010	28000	-2.50	29.50	32.25		21x15	609-2115	8600	15.75	10.25	7.50
	30x12	607-3012	29600	-1.50	30.50	34.00		21x18	609-2118	10000	17.25	10.25	9.50
	30x15	607-3015	33300	1.00	33.00	36.75		24x4	609-0244	8700	13.00	9.25	2.75
	30x18	607-3018	39900	5.50	37.50	39.25		24x6	609-0246	8800	13.00	9.25	3.75
	30x21	607-3021	46500	9.50	41.50	39.37		24x8	609-0248	8900	13.87	9.25	4.25
	30x24	607-3024	50400	11.50	43.50	44.87		24x10	609-2410	9100	14.50	9.25	5.00
	30x27	607-3027	56300	13.50	45.50	44.12		24x12	609-2412	9500	14.75	9.25	6.25
	30x30	607-3030	67500	18.00	50.00	47.00		24x15	609-2415	10300	16.00	9.25	7.50
	36x4	607-0364	14400	-7.75	23.00	31.50		24x18	609-2418	11800	17.50	9.25	9.50
	36x6	607-0366	15400	-6.25	26.00	33.00		24x21	609-2421	13300	17.75	9.25	10.25
	36x8	607-0368	16500	-4.75	29.00	35.50		27x4	609-0274	12000	14.50	10.50	2.75
	36x10	607-3610	17700	-3.25	32.00	37.00		27x6	609-0276	12100	14.50	10.50	3.75
	36x12	607-3612	19100	-1.75	35.00	38.50		27x8	609-0278	12200	15.37	10.50	4.25
	36x15	607-3615	21900	1.25	41.00	41.50		27x10	609-2710	12400	16.00	10.50	5.00
	36x18	607-3618	24900	2.75	44.00	44.00		27x12	609-2712	12800	16.25	10.50	6.25
	36x21	607-3621	28900	5.75	50.00	44.00		27x15	609-2715	13600	17.50	10.50	7.50
	36x24	607-3624	32600	8.75	56.00	49.00		27x18	609-2718	15100	19.00	10.50	8.50
	36x27	607-3627	38100	11.75	62.00	48.50		27x21	609-2721	16600	19.25	10.50	10.25
	36x30	607-3630	45600	13.25	65.00	51.50		27x24	609-2724	17500	19.25	10.50	9.25
	36x36	607-3636	44400	18.25	75.00	54.00		30x4	609-0304	13400	10.00	10.50	2.75
FULL & REDUCING WYE BxBxB								30x6	609-0306	13400	10.00	10.50	3.75
REDUCER COUPLING BxB	8x4	609-0084	601	8.63	4.25	2.75		30x8	609-0308	13500	11.00	10.50	4.25
	8x6	609-0086	704	8.63	4.25	3.75		30x10	609-3010	13600	11.50	10.50	5.00
	10x4	609-0104	920	7.37	5.00	2.75		30x12	609-3012	13800	11.75	10.50	6.25





ULTRA-RIB™ AND ULTRA-CORR FITTINGS




Fittings are produced from SDR 35 ASTM D 3034, F 679, F 794 and F 949 Pipe.
4" and 6" branch lines are PSM/SDR 35. All others are Ultra-Rib™ or Ultra Corr™.

 REDUCER COUPLING BxB	SIZE	PART #	LB/100	(R)	(SD)	(SD1)	 T-Y BxBxB	SIZE	PART #	LB/100	(J)	(L1)	(L)
	30x15	609-3015	14400	13.00	10.50	7.50		12x4	613-0124	2268	7.75	11.50	12.25
30x18	609-3018	15500	14.50	10.50	8.50	12x6	613-0126	2592	10.00	15.00	12.75		
30x21	609-3021	16700	14.75	10.50	10.25	12x8	613-0128	3129	12.75	18.50	14.75		
30x24	609-3024	17200	14.75	10.50	9.25	15x4	613-0154	3770	8.25	12.50	13.65		
30x27	609-3027	21300	14.75	10.50	10.50	15x6	613-0156	4166	10.25	15.50	14.15		
36x4	09-0364	12300	10.75	10.50	2.75	15x8	613-0158	4886	1.25	19.50	16.15		
36x6	09-0366	12400	10.75	10.50	3.75	18x4	613-0184	5966	8.75	13.50	15.35		
36x8	09-0368	12500	11.50	10.50	4.25	18x6	613-0186	6528	10.75	16.50	15.85		
36x10	09-3610	12700	12.00	10.50	5.00	18x8	613-0188	7470	13.75	20.50	17.85		
36x12	09-3612	13000	12.25	10.50	6.25	21x4	613-0214	10100	10.50	17.00	17.00		
36x15	09-3615	13700	13.50	10.50	7.50	21x6	613-0216	10700	12.00	19.00	17.50		
36x18	09-3618	15100	15.00	10.50	8.50	21x8	613-0218	11900	15.00	23.00	19.50		
36x21	09-3621	16600	15.00	10.50	10.25	24x4	613-0244	12100	10.50	17.00	18.50		
36x24	09-3624	17600	15.00	10.50	9.25	24x6	613-0246	12800	12.00	19.00	18.87		
36x27	09-3627	19500	15.00	10.50	10.50	24x8	613-0248	14200	15.00	23.00	21.00		
36x30	09-3630	23500	15.00	10.50	10.50	27x4	613-0274	17200	11.00	18.00	22.00		
				(L1)	(L)	(SD)							
 CAP B	8	611-0008	544	5.88	10.13	4.25	 SANDED MANHOLE ADAPTER B	8	616-0008	375	8.00	4.25	
	10	611-0010	860	4.62	9.62	5.00		10	616-0010	600	8.50	5.00	
	12	611-0012	1420	4.87	11.12	6.25		12	616-0012	750	9.50	6.25	
	15	611-0015	2495	7.75	15.25	7.50		15	616-0015	1800	11.00	7.50	
	18	611-0018	4256	9.50	19.00	8.50		18	616-0018	2800	13.00	8.50	
	21	611-0021	6800	10.00	20.25	10.25		21	616-0021	4300	14.50	10.25	
	24	611-0024	8600	10.25	19.50	9.25		24	616-0024	5200	14.00	9.25	
	27	611-0027	11900	11.75	22.25	10.50		27	616-0027	7200	15.00	10.50	
	30	611-0030	13400	7.25	17.75	10.50		30	616-0030	10000	16.00	10.50	
	36	11-0036	12200	8.00	18.50	10.50		36	16-0036				
 PLUG SP				(B)	(L)		 22 1/2 DEGREE EL BxB				(J)	(SD)	
	8	612-0008	422	4.25	7.25	8		617-0008	588	3.75	4.25		
	10	612-0010	860	5.00	14.62	10		617-0010	1057	4.50	5.00		
	12	612-0012	1350	6.25	16.87	12		617-0012	1873	5.25	6.25		
	15	612-0015	2669	7.50	16.00	15		617-0015	3281	6.50	7.50		
	18	612-0018	4062	8.50	18.50	18		617-0018	7673	9.50	8.50		
	21	612-0021	7400	11.00	24.50	21		617-0021	12400	11.50	10.25		
	24	612-0024	8400	10.00	24.25	24		617-0024	15200	11.75	9.25		
	27	612-0027	11600	12.00	27.25	27		617-0027	21000	12.00	10.50		
	30	612-0030	8300	12.00	12.75	30		617-0030	23100	9.50	10.50		
36	12-0036	10700	14.00	15.00	36	17-0036	15200	12.75	10.50				
 T-Y BxBxB	8x4	613-0084	930	7.63	11.25	10.20							
	8x6	613-0086	1058	9.13	13.25	10.70							
	8x8	613-0088	1468	12.00	17.25	12.70							
	10x4	613-0104	1502	7.75	11.50	11.25							
	10x6	613-0106	1694	9.75	14.50	11.75							
	10x8	613-0108	2179	12.75	18.50	13.75							



ULTRA-RIB™ AND ULTRA-CORR FITTINGS


Fittings are produced from SDR 35 ASTM D 3034, F 679, F 794 and F 949 Pipe.
4" and 6" branch lines are PSM/SDR 35. All others are Ultra-Rib™ or Ultra Corr™.

 45 DEGREE EL BxB	SIZE	PART #	LB/100	(A)	(SD)						
		8	621-0008	626	4.50	4.25					
	10	621-0010	1149	5.00	5.00						
	12	621-0012	1987	6.25	6.25						
	15	621-0015	3657	7.50	7.50						
	18	621-0018	8340	11.50	8.50						
	21	621-0021	13500	13.25	10.25						
	24	621-0024	16700	14.00	9.25						
	27	621-0027	23300	14.50	10.50						
	30	621-0030	26600	13.00	10.50						
	36	21-0036	17600	17.50	10.50						
 90 DEGREE EL BxB				(D)	(SD)						
		8	623-0008	877	9.88	4.25					
	10	623-0010	1586	11.63	5.00						
	12	623-0012	2673	13.13	6.25						
	15	623-0015	4807	15.50	7.50						
	18	623-0018	11632	21.75	8.20						
	21	623-0021	19300	25.75	10.25						
	24	623-0024	24600	27.25	9.25						
	27	623-0027	33600	28.75	10.50						
	30	623-0030	37200	25.00	10.50						
	36	23-0036	24400	35.00	10.50						
 SMOOTH MANHOLE ADAPTER B				(C)	(E)	(L)					
		8	645-0008	650	10.00	12.00	18.00				
	10	645-0010	1075	12.50	12.00	19.00					
	12	645-0012	1700	15.00	12.00	20.50					
	15	645-0015	2750	18.00	12.00	22.50					
	18	645-0018	5400	22.00	18.25	30.00					
	21	645-0021	9400	25.50	24.00	37.75					
	24	645-0024	11600	28.00	24.00	36.75					
	27	645-0027	15100	31.75	24.00	37.25					
	30	645-0030	20500	36.25	24.00	38.00					
	36	45-0036									




GPK ULTRA-RIB™ AND ULTRA-CORR SOCKET DIMENSIONS AND O.D. CHART


ULTRA-RIB DIMENSIONS



SIZE	PIPE OD	PIPE ID	SOCKET SD	SOCKET OD	SOCKET C
8"	8.81	7.89	4.25	10.00	3.50
10"	11.02	9.86	5.00	12.50	4.00
12"	13.10	11.74	6.25	15.00	5.00
15"	15.91	14.37	7.50	18.00	6.00
18"	19.45	17.65	8.50	22.00	7.00
21"	22.99	20.75	10.25	25.50	9.00
24"	25.76	23.50	9.25	28.00	8.00
27"	29.14	26.50	10.50	31.75	8.00
30"	32.37	29.50	10.50	36.25	8.00



ULTRA CORR DIMENSIONS



SIZE	PIPE OD	PIPE ID	SOCKET SD	SOCKET OD	SOCKET C
24"	25.58	23.469	10.00	28.75	8.00
27"	28.86	26.44	10.00	32.50	8.00
30"	32.15	29.469	10.50	36.00	8.00
36"	38.74	35.475	10.50	43.25	8.00