

DIMENSIONAL DATA

G
P
K

Specifications Included in this Booklet:

Solvent Weld Schedule 40 DWV Fittings

Gasketed Schedule 40 DWV Fittings

1601 43rd Street North • Fargo, North Dakota 58102
Phone: 701-277-3225 Toll Free: 800-437-4670
Fax: 701-277-9286 or 800-822-6989






TABLE OF CONTENTS

	PAGE NUMBER
4" - 24" SOLVENT WELD SCHEDULE 40 FITTINGS	
Saddles - Tees and Wyes - Solven Skirt, Solvent Branch	3
Tees - HxHxH	4
Tees - SxHxH	4
Couplings Stop and Repair	4
Wyes - HxHxH	4 - 5
Wyes - SxHxH	5
Concentric Reducers - Couplings and Bushings	5 - 6
Eccentric Reducers - Couplings and Bushings	6 - 7
Caps	7
Plugs Spigot	7
T-Y's - HxHxH	7
T-Y's - SxHxH	8
Double Wyes	8
Crosses	8 - 9
Elbows - 11 1/4, 22 1/2, 30, 45 and 90 Degree HxHxH and SxHxH	9 - 10
Threaded Adapters and Plugs	10
IPS x Sewer Adapters	11
Combo T-Y HxHxH	11
Test Tees HxHxFIPT with Plugs	12
Downspout Adapters	12
Two Way Cleanout Tees	12
4" - 24" GASKETED SCHEDULE 40 DWV FITTINGS	
Saddles - Tees and Wyes Solvent Skirt, Gasketed Branch	13
Tees - GxGxG	13
Couplings - Stop and Repair	13
Wyes - GxGxG	13
Concentric Reducers - Couplings and Bushings	13
Eccentric Reducers - Couplings and Bushings	14
Caps	14
Plugs Spigot	14
T-Y's - GxGxG	14
Double Wyes	14
Crosses	14
Manhole Adapters	14
Elbow - 11 1/4, 22 1/2, 30, 45 and 90 Degree GxG and SxG	15
IPS x Sewer Adapters	16
Combo T-Y GxGxG	16
Deep Socket Fittings - 45 EL, 22 1/2 EL, Settler Coupling GxDSG and SPxDSG	16
SCHEDULE 40 DIMENSIONS	17
IPS WALL THICKNESSES	18



4" - 24" SOLVENT WELD SCHEDULE 40 DWV FITINGS


Molded fittings are manufactured to the dimensions of ASTM D2665. Fabricated fittings are manufactured to ASTM F1866 specifications. To be used for non-pressure applications only.


	Size	Part Number	LB/100	(C)	(H)	(D)	FULL & REDUCING TEE HxHxH	Size	Part Number	LB/100	(C)	(H)	(D)
	4x4*	303-0044	195	4.25	2.50	2.50		24x14	303-2414	13834	24.75	17.50	12.75
6x4*	303-0064	372	5.50	3.50	2.50	24x16	303-2416	14897	25.50	17.50	13.50		
6x6*	303-0066	493	6.51	3.51	3.51	24x18	303-2418	16419	27.00	18.50	15.00		
8x4*	303-0084	633	6.50	4.54	2.50	24x20	303-2420	17961	28.00	18.50	16.00		
8x6*	303-0086	779	7.58	4.50	3.58	24x24	303-2424	20679	30.00	18.50	18.00		
8x8*	303-0088	958	8.54	4.54	4.54		Size	Part Number	LB/100	(C)	(H)	(E)	
10x4	303-0104	1401	9.75	7.63	4.75		4x4*	304-0044	193	4.25	2.50	4.65	
10x6	303-0106	1665	11.00	8.13	6.00	TEE SxHxH							
10x8	303-0108	1987	12.25	8.38	7.25		Size	Part Number	LB/100	(L)	(N)		
10x10	303-1010	2433	13.50	9.38	8.50		4*	305-0004	79	3.75	.25		
12x4	303-0124	1998	10.75	8.63	4.75	STOP COUPLING HxH	6*	305-0006	204	6.31	.25		
12x6	303-0126	2357	12.25	9.13	6.25		8*	305-0008	415	8.25	.25		
12x8	303-0128	2688	13.25	9.38	7.25		10	305-0010	909	13.00	3.00		
12x10	303-1210	3132	14.25	10.38	8.25	REPAIR COUPLING HxH	12	305-0012	1373	15.00	3.00		
12x12	303-1212	3602	15.25	10.38	9.25		14	305-0014	1805	18.00	4.00		
14x4	303-0144	2642	13.00	9.25	6.00		16	305-0016	2625	20.00	4.00		
14x6	303-0146	2832	14.00	9.75	7.00	18	305-0018	3352	21.50	3.50			
14x8	303-0148	3284	15.00	10.00	8.00	20	305-0020	4723	26.00	6.00			
14x10	303-1410	3748	16.00	11.00	9.00	24	305-0024	7395	30.00	6.00			
14x12	303-1412	4221	17.00	11.00	10.00	Size	Part Number	LB/100	(L)	(SD)			
14x14	303-1414	4750	18.00	12.50	11.00	4*	306-0004	33	3.75	1.87			
16x4	303-0164	3700	13.88	10.25	5.88								
16x6	303-0166	4056	14.88	10.75	6.88								
16x8	303-0168	4465	15.88	11.00	7.88								
16x10	303-1610	4988	16.88	12.00	8.88								
16x12	303-1612	5521	17.88	12.00	9.88								
16x14	303-1614	6110	18.88	13.50	10.88								
16x16	303-1616	7125	20.88	13.38	12.88								
18x4	303-0184	4770	14.75	11.25	5.75								
18x6	303-0186	5210	15.75	11.75	6.75								
18x8	303-0188	5706	16.75	12.00	7.75								
18x10	303-1810	6314	17.75	13.00	8.75								
18x12	303-1812	6934	18.75	13.00	9.75								
18x14	303-1814	8609	19.75	14.50	10.75								
18x16	303-1816	9460	23.00	15.50	14.00								
18x18	303-1818	10182	23.00	15.50	14.00								
20x4	303-0204	6375	17.00	12.25	7.00	Size	Part Number	LB/100	(L)	(J)	(P)		
20x6	303-0206	6873	18.00	12.75	8.00	4x4*	307-0044	297	6.38	8.26	1.88		
20x8	303-0208	7428	19.00	13.00	9.00	6x4*	307-0064	464	7.43	6.87	.19		
20x10	303-2010	8094	20.00	14.00	10.00	6x6*	307-0066	673	8.43	10.18	1.75		
20x12	303-2012	8772	21.00	14.00	11.00	8x4*	307-0084	815	8.63	8.00	.38		
20x14	303-2014	9501	22.00	15.50	12.00	8x6*	307-0086	1035	9.81	10.50	1.00		
20x16	303-2016	10490	23.00	15.50	13.00	8x8*	307-0088	1423	11.75	14.13	2.38		
20x18	303-2018	11777	24.00	16.50	14.00	10x4*	307-0104	1212	10.40	7.20	-1.50		
20x20	303-2020	12841	24.87	16.50	14.87	10x6*	307-0106	1509	11.25	10.50	.00		
24x4	303-0244	9937	20.00	14.25	8.00	10x8	307-0108	2487	15.13	19.00	4.13		
24x6	303-0246	10590	21.00	14.75	9.00	10x10	307-1010	3179	17.63	22.50	5.88		
24x8	303-0248	11299	22.00	15.00	10.00	12x4	307-0124	2221	14.25	11.50	-.63		
24x10	303-2410	12120	23.00	16.00	11.00	12x6	307-0126	2684	15.50	15.00	1.13		
24x12	303-2412	12952	24.00	16.00	12.00	12x8	307-0128	3294	16.50	19.00	3.13		
						12x10	307-1210	3924	19.00	21.25	4.25		





4" - 24" SOLVENT WELD SCHEDULE 40 DWV FITINGS

Molded fittings are manufactured to the dimensions of ASTM D2665. Fabricated fittings are manufactured to ASTM F1866 specifications. To be used for non-pressure applications only.

 TEE WYE SxHxH	Size	Part Number	LB/100	(L)	(J)	(L1)
	4x4*	314-0044	240	3.90	5.85	8.10

 FULL & REDUCING DOUBLE WYE HxHxHxH	Size	Part Number	LB/100	(L)	(J)	(L1)
	6x4*	315-0064	534	7.43	6.68	6.87
6x6	315-0066	1192	11.13	10.06	13.50	
8x4	315-0084	1151	11.38	9.56	10.50	
8x6	315-0086	1634	12.50	11.94	14.00	
8x8	315-0088	2288	13.50	12.81	17.00	
10x4	315-0104	1692	12.88	11.13	11.50	
10x6	315-0106	2268	14.06	12.88	15.00	
10x8	315-0108	3045	15.13	14.88	19.00	
10x10	315-01010	4184	17.63	16.63	22.50	
12x4	315-0124	2350	14.25	12.12	11.50	
12x6	315-0126	2978	15.50	13.88	15.00	
12x8	315-0128	3843	16.50	15.88	19.00	
12x10	315-01210	4924	19.00	17.00	21.25	
12x12	315-01212	6348	20.00	19.38	26.00	
14x4	315-0144	2918	15.13	13.50	13.00	
14x6	315-0146	3628	16.38	15.50	17.00	
14x8	315-0148	4518	17.38	17.50	21.00	
14x10	315-01410	5610	19.88	18.50	23.00	
14x12	315-01412	6992	20.88	20.50	27.00	
14x14	315-01414	7980	22.38	21.50	29.00	
16x4	315-0164	4008	16.50	14.38	12.75	
16x6	315-0166	4838	17.75	16.38	16.75	
16x8	315-0168	5848	18.63	18.38	20.75	
16x10	315-01610	7000	21.25	19.38	22.75	
16x12	315-01612	8502	22.25	21.38	26.75	
16x14	315-01614	9550	23.75	22.50	29.00	
16x16	315-01616	11625	24.75	24.00	32.00	
18x4	315-0184	5621	18.00	15.75	13.50	
18x6	315-0186	6626	19.25	17.25	16.50	
18x8	315-0188	7802	20.25	19.25	20.50	
18x10	315-01810	9049	22.75	20.75	23.50	
18x12	315-01812	10712	23.75	22.25	26.50	
18x14	315-01814	11845	25.25	23.75	29.50	
18x16	315-01816	14048	26.25	24.75	31.50	
18x18	315-01818	17200	27.00	26.25	34.50	
20x4	315-0204	6949	19.50	18.00	16.00	
20x6	315-0206	8070	20.75	19.00	18.00	
20x8	315-0208	9364	21.75	21.00	22.00	
20x10	315-02010	10669	24.25	23.00	26.00	
20x12	315-02012	12448	25.25	24.00	28.00	

 FULL & REDUCING DOUBLE WYE HxHxHxH	Size	Part Number	LB/100	(L)	(J)	(L1)
	20x14	315-2014	13640	26.75	25.00	30.00
20x16	315-2016	15930	27.75	26.50	33.00	
20x18	315-2018	19655	28.50	30.00	40.00	
20x20	315-2020	21300	31.25	27.00	41.00	
24x4	315-0244	10666	22.25	21.00	18.00	
24x6	315-0246	12096	23.50	22.00	20.00	
24x8	315-0248	13697	24.50	24.00	24.00	
24x10	315-2410	15157	27.00	26.00	28.00	
24x12	315-2412	17245	28.00	27.00	30.00	
24x14	315-2414	18591	29.50	28.00	32.00	
24x16	315-2416	21112	30.50	29.50	35.00	
24x18	315-2418	25300	31.25	33.00	42.00	
24x20	315-2420	30193	34.00	34.00	44.00	
24x24	315-2424	40537	41.00	38.00	52.00	

 FULL & REDUCING CROSS HxHxHxH	Size	Part Number	LB/100	(C)	(H)	(D)
	6x4	326-0064	607	7.25	5.56	4.25
6x6	326-0066	896	7.75	6.00	4.75	
8x4	326-0084	950	8.25	6.56	4.25	
8x6	326-0086	1248	9.50	7.06	5.25	
8x8	326-0088	1716	10.75	7.31	6.75	
10x4	326-0104	1478	9.75	7.63	4.75	
10x6	326-0106	1846	11.00	8.13	6.00	
10x8	326-0108	2327	12.25	8.38	7.25	
10x10	326-01010	3049	13.50	9.38	8.50	
12x4	326-0124	2075	10.75	8.63	4.75	
12x6	326-0126	2538	12.25	9.13	6.25	
12x8	326-0128	3028	13.25	9.38	7.25	
12x10	326-01210	3745	14.25	10.38	8.25	
12x12	326-01212	4502	15.25	10.38	9.25	
14x4	326-0144	2719	13.00	9.25	6.00	
14x6	326-0146	3117	14.00	9.75	7.00	
14x8	326-0148	3625	15.00	10.00	8.00	
14x10	326-01410	4361	16.00	11.00	9.00	
14x12	326-01412	5117	17.00	11.00	10.00	
14x14	326-01414	5985	18.00	12.50	11.00	
16x4	326-0164	3779	13.88	10.25	5.88	
16x6	326-0166	4237	14.88	10.75	6.88	
16x8	326-0168	4805	15.88	11.00	7.88	
16x10	326-01610	5601	16.88	12.00	8.88	
16x12	326-01612	6417	17.88	12.00	9.88	
16x14	326-01614	7345	18.88	13.50	10.88	
16x16	326-01616	8875	20.88	13.75	12.88	
18x4	326-0184	4847	14.75	11.25	5.75	
18x6	326-0186	5392	15.75	11.75	6.75	
18x8	326-0188	6049	16.75	12.00	7.75	
18x10	326-01810	6930	17.75	13.00	8.75	
18x12	326-01812	7834	18.75	13.00	9.75	
18x14	326-01814	8839	19.75	14.50	10.75	
18x16	326-01816	10204	20.75	14.50	11.75	



4" - 24" SOLVENT WELD SCHEDULE 40 DWV FITINGS





Molded fittings are manufactured to the dimensions of ASTM D2665. Fabricated fittings are manufactured to ASTM F1866 specifications. To be used for non-pressure applications only.

Diagram	Size	Part Number	LB/100	(A)	(L)	(SD)							
	<p>45 DEGREE EL HxH</p>	4*	321-0004	147	2.19	3.94	1.75	1 - 44 DEGREE FABRICATED BENDS HxH and SxH	Give GPK's Customer Service Department a call for the specifications you need for these elbows. Call us TOLL FREE at 1-800-437-4670. Give size and angle of elbow needed for proper specifications.				
6*		321-0006	315	2.00	5.00	3.00							
8*		321-0008	580	2.00	6.00	4.00							
10*		321-0010	1059	3.00	8.00	5.00							
12		321-0012	1766	3.50	9.50	6.00							
14		321-0014	2720	5.75	12.75	7.00							
16		321-0016	3990	6.25	14.25	8.00							
18		321-0018	4800	6.25	15.25	9.00							
20		321-0020	6300	6.50	16.50	10.00							
24		321-0024	10900	7.75	19.75	12.00							
<p>45 DEGREE EL SxH</p>	4*	322-0004	139	2.19	3.94	1.75	<p>FIPT x SCH40 HUB ADAPTER</p>	Size	Part Number	LB/100	(L)	(L1)	(L2)
	6*	322-0006	300	2.00	5.06	3.00		4*	327-0004	80	3.62	2.00	1.31
	8*	322-0008	571	2.00	8.00	4.00		6*	327-0006	170	4.90	3.00	1.62
	10*	322-0010	1015	3.00	8.00	5.00		8*	327-0008	296	5.75	4.00	1.50
	12	322-0012	1697	3.50	9.50	6.00		10	327-0010	1194	11.12	5.00	1.38
	14	322-0014	2720	5.75	13.25	7.00		12	327-0012	1675	11.12	5.00	1.38
	16	322-0016	3990	6.25	14.75	8.00							
	18	322-0018	5100	6.25	16.75	9.00							
	20	322-0020	7200	6.50	16.50	10.00							
	24	322-0024	12200	7.75	19.50	12.00							
<p>90 DEGREE EL HxH</p>	4*	323-0004	180	3.88	5.63	1.75	<p>RAISED MIPT PLUG</p>	Size	Part Number	LB/100	(L)	(S)	
	4*	323-0004L	208	4.84	6.59	1.75		4*	328-0004	40	1.93	.93	
	6*	323-0006	429	5.03	8.06	3.00		6*	228-0006	78	2.00	1.00	
	8*	323-0008	824	6.00	10.00	4.00		8*	328-0008	144	2.12	1.12	
	10*	323-0010	1344	6.20	11.20	5.00		10*	328-0010	184	2.00	.96	
	12	323-0012	2291	7.60	13.60	6.00		12*	328-0012	260	2.00	.96	
	14	323-0014	3720	12.00	19.00	7.00							
	16	323-0016	5400	14.00	22.00	8.00							
	18	323-0018	11900	20.50	29.50	9.00							
	20	323-0020	14800	23.50	33.50	10.00							
24	323-0024	22700	25.75	37.75	12.00								
<p>90 DEGREE EL SxH</p>	4*	324-0004	176	3.88	5.58	1.75	<p>FIPT x SCH40 SPIGOT ADAPTER</p>	Size	Part Number	LB/100	(L)	(L1)	(L2)
	6*	324-0006	426	5.03	8.56	3.00		4*	329-0004	95	4.68	1.31	3.12
	8*	324-0008	819	6.00	10.37	4.00		6	329-0006	260	8.60	3.10	5.50
	10*	324-0010	1300	6.20	11.20	5.00		8	329-0008	430	9.75	1.50	5.00
	12	324-0012	2232	7.60	13.60	6.00		10	329-0010	1359	11.75	1.38	8.50
	14	324-0014	3720	12.00	19.50	7.00		12	329-0012	1930	11.75	1.63	8.00
	16	324-0016	5400	14.00	22.50	8.00							
	18	324-0018	11900	20.50	30.50	9.00							
	20	324-0020	14600	23.50	34.00	10.00							
	24	324-0024	22400	25.75	38.25	12.00							
							<p>COUNTERSUNK MIPT PLUG</p>	Size	Part Number	LB/100	(S)		
								4*	334-0004	34	.94		
								6*	334-0006	72	1.00		



4" - 24" SOLVENT WELD SCHEDULE 40 DWV FITINGS









Molded fittings are manufactured to the dimensions of ASTM D2665. Fabricated fittings are manufactured to ASTM F1866 specifications. To be used for non-pressure applications only.

 TEST TEE HxHxFIPT WITH PLUG	Size	Part Number	LB/100	(A)	(B)	(C)	 TWO WAY CLEANOUT TEE HXHXH	Size	Part Number	LB/100	(D)	(H)	(C)
	4x4	393-0044	317	8.50	5.00	8.25		4x4*	383-0444	334	4.84	4.84	6.59
6x4	393-0064	415	11.00	4.80	9.60	6x6*	383-0666	742	6.13	6.13	9.13		
6x6	393-0066	545	13.00	6.80	10.40								
8x4	393-0084	685	13.12	4.90	11.75								
8x6	393-0086	840	15.12	6.95	12.45								
8x8	393-0088	1080	17.00	8.90	13.25								
10x4	393-0104	1499	19.50	9.50	13.50								
10x6	393-0106	1666	22.00	12.00	13.50								
10x8	393-0108	2000	24.50	14.50	15.00								
12x4	393-0124	2099	21.50	9.50	15.50								
12x6	393-0126	2361	24.50	12.50	15.50								
12x8	393-0128	2700	26.50	14.50	17.00								
14x4	393-0144	2734	26.00	12.00	16.75								
14x6	393-0146	2929	28.00	14.00	16.75								
14x8	393-0148	3300	30.00	16.00	18.25								
16x4	393-0164	3794	27.75	11.75	19.00								
16x6	393-0166	4049	29.75	13.75	19.00								
16x8	393-0168	4400	31.75	15.75	20.50								
 STANDARD DOWNSPOUT (CENTERED)	Size	Part Number	LB/100	(SD)	(SD1)	(N)							
	2x3x3	391-0233	27	1.50	2.00	.38							
	2x3x4*	391-0234	34	2.00	1.06	.74							
	3x4x4*	391-0344	38	2.00	1.06	.74							
	4x6x6*	391-0466	110	2.00	1.75	1.25							
 FLUSHMOUNT DOWNSPOUT (OFFSET)	Size	Part Number	LB/100	(SD)	(SD1)	(N)							
	2x3x4*	392-0234	36	2.00	1.06	.74							
	3x4x4*	392-0344	39	2.00	1.06	.74							
	4x6x6*	392-0466	103	2.00	2.50	.50							



4" - 12" GASKETED SCHEDULE 40 DWV FITINGS

Fittings are manufactured to ASTM F 1866 specifications. To be used for non-pressure applications only.

 <p>FABRICATED SADDLE WYE GASKET BRANCH SOLVENT SKIRT WITH STRAPS</p>	Size	Part Number	LB/100	(SD)	(L)	(L1)	 <p>REPAIR COUPLING GxG</p>	Size	Part Number	LB/100	(SD)	(L)	
	6x4	G301-0064	424	4.50	9.70	14.00		4*	G306-0004	177	3.29	6.58	
	8x4	G301-0084	532	4.50	11.10	14.00		6	G306-0006	490	6.00	12.00	
	8x6	G301-0086	830	5.00	12.60	17.00		8	G306-0008	716	5.50	11.00	
	10x4	G301-0104	730	4.50	12.70	16.00		10	G306-0010	1028	5.75	11.50	
	10x6	G301-0106	993	5.00	14.20	17.00		12	G306-0012	1379	6.00	12.00	
	10x8	G301-0108	1461	5.75	16.00	22.00							
	12x4	G301-0124	897	4.50	14.10	16.00							
	12x6	G301-0126	1170	5.00	15.60	17.00							
	12x8	G301-0128	1691	5.75	17.50	22.00							
	12x10	G301-1210	2294	6.00	19.25	26.00							
 <p>FABRICATED SADDLE TEE GASKET BRANCH SOLVENT SKIRT WITH STRAPS</p>	Size	Part Number	LB/100	(SD)	(H)	(L1)	 <p>FULL AND REDUCING WYE GxGxG</p>	Size	Part Number	LB/100	(P)	(L)	(J)
	6x4	G302-0064	354	4.50	6.00	12.00		4x4*	G307-0044	447	1.88	6.38	8.25
	8x4	G302-0084	493	4.50	7.10	14.00		6x4*	G307-0064	830	1.75	8.38	10.19
	8x6	G302-0086	708	5.00	7.60	16.00		6x6*	G307-0066	1261	1.75	8.44	10.19
	10x4	G302-0104	626	4.50	8.20	14.00		8x4	G307-0084	1430	1.00	10.80	10.50
	10x6	G302-0106	861	5.00	8.70	16.00		8x6	G307-0086	1821	2.75	12.30	14.00
	10x8	G302-0108	1147	5.75	9.00	19.00		8x8	G307-0088	2264	4.25	14.37	17.00
	12x4	G302-0124	723	4.50	9.20	14.00		10x4	G307-0104	2050	.75	12.30	12.00
	12x6	G302-0126	1028	5.00	9.70	16.00		10x6	G307-0106	2507	2.37	13.80	15.50
	12x8	G302-0128	1345	5.75	10.00	19.00		10x8	G307-0108	3073	4.37	15.87	19.50
	12x10	G302-1210	1691	6.00	10.50	21.00		10x10	G307-01010	3732	6.12	17.50	23.00
 <p>FULL AND REDUCING TEE GxGxG</p>	Size	Part Number	LB/100	(C)	(H)	(D)	 <p>REDUCER COUPLING GxG</p>	Size	Part Number	LB/100	(R)	(SD)	(SD1)
	4x4*	G303-0044	343	5.50	2.50	2.50		4x6	G309-0046	618	7.25	4.50	5.00
	6x4*	G303-0064	674	8.16	3.44	3.50		4x8	G309-0048	920	6.88	4.50	5.75
	6x6*	G303-0066	773	8.16	3.50	3.50		4x10	G309-0410	1280	7.12	4.50	6.00
	8x4	G303-0084	1300	10.00	6.80	4.25		4x12	G309-0412	1730	7.40	4.50	6.25
	8x6	G303-0086	1561	11.00	7.30	5.25		6x8	G309-0068	1225	8.50	5.00	5.75
	8x8	G303-0088	1887	12.50	7.80	6.75		6x10	G309-0610	1440	7.62	5.00	6.00
	10x4	G303-0104	1881	11.00	7.80	5.00		6x12	G309-0612	1890	7.90	5.00	6.25
	10x6	G303-0106	2213	12.25	8.25	6.25		8x10	G309-0810	2000	9.75	5.75	6.00
	10x8	G303-0108	2564	13.50	8.80	7.50		8x12	G309-0812	2120	8.40	5.75	6.25
	10x10	G303-1010	2986	14.75	8.80	8.75		10x12	G309-1012	2990	10.75	6.00	6.25
	12x4	G303-0124	2495	11.50	9.30	5.25							
	12x6	G303-0126	2922	13.00	9.75	6.75							
	12x8	G303-0128	3282	14.00	9.80	7.75							
	12x10	G303-1210	3713	15.00	10.30	8.75							
	12x12	G303-1212	4278	16.50	10.80	10.25							
 <p>STOP COUPLING GxG</p>	Size	Part Number	LB/100	(SD)	(N)		 <p>REDUCER BUSHING SxG</p>	Size	Part Number	LB/100	(R)	(S)	(SD)
	4	G305-0004	242	4.50	2.00			6x4	G310-0064	590	6.25	6.50	4.50
	6	G305-0006	490	5.00	2.00			8x4	G310-0084	795	5.38	6.50	4.50
	8	G305-0008	876	5.75	3.00			8x6	G310-0086	1100	7.00	6.50	5.00
	10	G305-0010	1287	6.00	3.50			10x4	G310-0104	1200	5.37	8.50	4.50
	12	G305-0012	1765	6.25	4.00			10x6	G310-0106	1360	5.87	8.50	5.00
								10x8	G310-0108	1890	8.00	8.00	5.75
						12x4	G310-0124	1670	5.41	9.50	4.50		
						12x6	G310-0126	1830	5.91	9.50	5.00		
						12x8	G310-0128	2060	6.41	9.50	5.75		
						12x10	G310-1210	2880	8.75	9.00	6.00		

4" - 12" GASKETED SCHEDULE 40 DWV FITINGS











Fittings are manufactured to ASTM F 1866 specifications. To be used for non-pressure applications only.

<p>ECCENTRIC REDUCER COUPLING GxG</p>	Size	Part Number	LB/100	(R)	(SD)	(SD1)	<p>FULL & REDUCING DOUBLE WYE GxGxGxG</p>	Size	Part Number	LB/100	(J)	(L)	(L1)
	4x6	G309-0046ECC	520	6.75	4.50	5.00		6x4	G315-0064	1257	9.50	10.10	12.60
	4x8	G309-0048ECC	920	6.88	4.50	5.75		6x6	G315-0066	1698	10.75	10.90	15.00
	4x10	G309-0410ECC	1280	7.12	4.50	6.00		8x4	G315-0084	1641	9.62	10.80	10.50
	4x12	G309-0412ECC	1730	7.40	4.50	6.25		8x6	G315-0086	2262	11.37	12.30	14.00
	6x8	G309-0068ECC	1070	8.75	5.00	5.75		8x8	G315-0088	3011	15.75	14.37	22.75
	6x10	G309-0610ECC	1440	7.62	5.00	6.00		10x4	G315-0104	2261	11.37	12.30	17.00
	6x12	G309-0612ECC	1890	7.90	5.00	6.25		10x6	G315-0106	2948	13.12	13.80	15.50
	8x10	G309-0810ECC	1670	8.12	5.75	6.00		10x8	G315-0108	3820	15.12	15.87	19.50
	8x12	G309-0812ECC	2120	8.40	5.75	6.25		10x10	G315-1010	4911	16.87	17.50	23.00
10x12	G309-1012ECC	2380	8.90	6.00	6.25	12x4	G315-0124	2916	12.62	13.70	12.50		
<p>ECCENTRIC REDUCER BUSHING SxG</p>	Size	Part Number	LB/100	(R)	(S)	(SD)	<p>FULL & REDUCING CROSS GxGxGxG</p>	Size	Part Number	LB/100	(C)	(H)	(D)
	6x4	G310-0064ECC	320	2.75	4.00	4.50		6x4	G326-0064	969	9.00	5.80	4.00
	8x4	G310-0084ECC	795	5.38	6.50	4.50		6x6	G326-0066	1409	11.00	6.30	6.00
	8x6	G310-0086ECC	950	5.37	8.50	5.00		8x4	G326-0084	1472	10.00	6.80	4.25
	10x4	G310-0104ECC	1200	5.41	9.50	4.50		8x6	G326-0086	1903	11.00	7.30	5.25
	10x6	G310-0106ECC	1360	7.25	6.50	5.00		8x8	G326-0088	2417	13.00	7.80	7.25
	10x8	G310-0108ECC	1590	5.87	8.50	5.75		10x4	G326-0104	2053	11.00	7.80	5.00
	12x4	G310-0124ECC	1670	5.91	9.50	4.50		10x6	G326-0106	2555	12.25	8.30	6.25
	12x6	G310-0126ECC	1830	6.37	8.50	5.75		10x8	G326-0108	3094	13.50	8.80	7.50
	12x8	G310-0128ECC	2060	6.41	9.50	5.75		10x10	G326-1010	3776	15.25	9.30	9.25
12x10	G310-1210ECC	2320	6.91	9.50	6.00	12x4	G326-0124	2667	11.75	8.80	5.50		
<p>CAP G</p>	Size	Part Number	LB/100	(SD)	(F)		<p>SANDED MANHOLE ADAPTER</p>	Size	Part Number	LB/100	(L)	(L1)	(OD)
	4	G311-0004	196	4.50	2.75			4*	G316-0004	227	7.85	.16	5.57
	6	G311-0006	384	5.00	4.38			6*	G316-0006	350	7.85	.16	7.76
	8	G311-0008	776	5.75	5.88			8	G316-0008	510	8.00	.75	10.50
	10	G311-0010	1140	6.00	4.62			10	G316-0010	700	8.00	.75	12.80
	12	G311-0012	1590	6.25	4.90			12	G316-0012	925	8.00	.75	14.80
<p>PLUG SP</p>	Size	Part Number	LB/100	(L)	(S)								
	4*	312-0004	82	3.74	3.50								
	6*	312-0006	175	4.30	4.00								
	8	312-0008	650	10.88	6.50								
	10	312-0010	1060	11.37	8.50								
	12	312-0012	1530	12.41	9.50								
<p>T-Y GxGxG</p>	Size	Part Number	LB/100	(J)	(L)	(L1)							
	6x4	G313-0064	945	7.12	7.25	10.50							
	6x6	G313-0066	1300	9.50	8.75	14.00							
	8x4	G313-0084	1473	7.00	8.25	10.50							
	8x6	G313-0086	1919	9.50	9.75	14.00							
	8x8	G313-0088	2339	11.50	12.25	17.00							
	10x4	G313-0104	2093	8.00	9.25	12.00							
	10x6	G313-0106	2605	10.25	10.75	15.50							
	10x8	G313-0108	3148	13.00	13.50	19.50							
	12x4	G313-0124	2748	8.00	10.25	12.50							
12x6	G313-0126	3334	10.50	11.75	16.00								
12x8	G313-0128	3960	13.00	14.50	20.00								



4" - 12" GASKETED SCHEDULE 40 DWV FITINGS

Fittings are manufactured to ASTM F 1866 specifications. To be used for non-pressure applications only.

 <p>11 1/4 DEGREE EL GxG</p>	Size	Part Number	LB/100	(J)	(L)	(SD)	 <p>30 DEGREE EL SxG</p>	Size	Part Number	LB/100	(A)	(L)	(SD)
	4	G359-0004	270	3.75	8.25	4.50		4	G362-0004	290	3.00	8.00	4.50
	6	G359-0006	570	5.75	10.75	5.00		6	G362-0006	590	3.50	9.00	5.00
	8	G359-0008	970	2.50	8.25	5.75		8	G362-0008	970	3.50	10.25	5.75
	10	G359-0010	1440	3.00	9.00	6.00		10	G362-0010	1500	4.25	11.25	6.00
	12	G359-0012	2020	3.25	9.50	6.25		12	G362-0012	2140	5.25	12.00	6.25
 <p>11 1/4 DEGREE EL SxG</p>	Size	Part Number	LB/100	(J)	(L)	(SD)	 <p>45 DEGREE EL GxG</p>	Size	Part Number	LB/100	(A)	(L)	(SD)
	4	G360-0004	250	3.75	7.50	4.50		4*	G321-0004	249	2.19	5.19	3.00
	6	G360-0006	530	5.75	8.00	5.00		6*	G321-0006	538	2.75	7.41	4.66
	8	G360-0008	910	2.50	9.25	5.75		8	G321-0008	1408	6.00	11.75	5.75
	10	G360-0010	1370	3.00	10.00	6.00		10	G321-0010	2120	7.00	13.00	6.00
	12	G360-0012	1930	3.25	10.50	6.25		12	G321-0012	2337	4.62	10.87	6.25
 <p>22 1/2 DEGREE EL GxG</p>	Size	Part Number	LB/100	(J)	(L)	(SD)	 <p>45 DEGREE EL SxG</p>	Size	Part Number	LB/100	(A)	(L)	(SD)
	4	G317-0004	400	4.00	8.50	4.50		4*	G322-0004	219	2.19	5.44	3.00
	6	G317-0006	750	4.75	9.75	5.00		6*	G322-0006	495	2.75	7.50	4.66
	8	G317-0008	983	4.60	10.35	5.75		8	G322-0008	1290	6.00	11.75	5.75
	10	G317-0010	1449	3.00	9.00	6.00		10	G322-0010	2040	7.00	14.00	6.00
	12	G317-0012	2023	3.37	9.62	6.25		12	G322-0012	2148	4.62	11.87	6.25
 <p>22 1/2 DEGREE EL SxG</p>	Size	Part Number	LB/100	(J)	(L)	(SD)	 <p>90 DEGREE EL GxG</p>	Size	Part Number	LB/100	(G)	(L)	(SD)
	4	G318-0004	359	4.00	6.75	4.50		4*	G323-0004	276	3.88	6.88	3.00
	6	G318-0006	700	4.75	10.00	5.00		6*	G323-0006	685	6.88	11.41	4.66
	8	G318-0008	967	4.60	10.12	5.75		8	G323-0008	1892	9.00	14.75	5.75
	10	G318-0010	1373	3.00	9.87	6.00		10	G323-0010	2400	10.20	16.20	6.00
	12	G318-0012	1934	3.37	10.62	6.25		12	G323-0012	3095	11.50	17.75	6.25
 <p>30 DEGREE EL GxG</p>	Size	Part Number	LB/100	(A)	(L)	(SD)	 <p>90 DEGREE EL SxG</p>	Size	Part Number	LB/100	(D)	(E)	(SD)
	4	G361-0004	300	3.00	7.50	4.50		4*	G324-0004	251	3.88	7.13	3.00
	6	G361-0006	630	3.50	8.50	5.00		6*	G324-0006	640	6.75	11.50	4.66
	8	G361-0008	1030	3.50	9.25	5.75		8	G324-0008	1774	9.00	14.75	5.75
	10	G361-0010	1570	4.25	10.25	6.00		10	G324-0010	2340	10.20	17.20	6.00
	12	G361-0012	2230	5.25	11.00	6.25		12	G324-0012	3006	11.50	18.75	6.25



4" - 12" GASKETED SCHEDULE 40 DWV FITINGS


Fittings are manufactured to ASTM F 1866 specifications. To be used for non-pressure applications only.

<p>1 - 44 DEGREE FABRICATED BENDS GxG and SxG</p>	<p>Give GPK's Customer Service Department a call for the specifications you need for these elbows. Call us TOLL FREE at 1-800-437-4670.</p> <p>Give size and angle of elbow needed for proper specifications.</p>							<p>COMBO WYE GxGxG</p>	<p>Size</p>	<p>Part Number</p>	<p>LB/100</p>	<p>(J)</p>	<p>(L)</p>	<p>(L1)</p>																																																			
	6x4	G348-0064	1276	14.50	14.90	10.50			6x6	G348-0066	1945	17.60	17.20	14.00	8x4	G348-0084	1770	14.10	15.90	10.50	8x6	G348-0086	2505	17.60	18.10	14.00	8x8	G348-0088	3425	24.30	20.70	17.00	10x4	G348-0104	2390	15.00	17.00	12.00	10x6	G348-0106	3191	18.30	19.20	15.50	10x8	G348-0108	4234	22.70	21.70	19.50	12x4	G348-0124	3045	15.20	17.90	12.50	12x6	G348-0126	3920	18.60	20.20	16.00	12x8	G348-0128	5046
<p>46 - 89 DEGREE FABRICATED BENDS GxG and SxG</p>	<p>Give GPK's Customer Service Department a call for the specifications you need for these elbows. Call us TOLL FREE at 1-800-437-4670.</p> <p>Give size and angle of elbow needed for proper specifications.</p>							<p>DEEP SOCKET 22 1/2 EL GxDSG</p>	<p>Size</p>	<p>Part Number</p>	<p>LB/100</p>	<p>(A)</p>	<p>(J)</p>	<p>(SD)</p>																																																			
	4	G317-0DS4	350	3.75	3.75	8.25			6	G317-0DS6	690	5.00	4.25	8.75																																																			
<p>IPS G x SEWER SPIGOT ADAPTER</p>	<p>Size</p>	<p>Part Number</p>	<p>LB/100</p>	<p>(L)</p>	<p>(S)</p>	<p>(SD)</p>	<p>DEEP SOCKET 45 EL GxDSG</p>	<p>Size</p>	<p>Part Number</p>	<p>LB/100</p>	<p>(A)</p>	<p>(J)</p>	<p>(SD)</p>																																																				
	4	G330-0004	134	1.00	4.25	4.50		6	G330-0006	332	1.00	5.00	5.00	8	G330-0008	667	1.50	4.50	5.75	10	G330-0010	1054	1.75	5.25	6.00	12	G330-0012	1623	2.00	6.25	6.25																																		
<p>SEWER G x IPS SPIGOT ADAPTER</p>	<p>Size</p>	<p>Part Number</p>	<p>LB/100</p>	<p>(L)</p>	<p>(S)</p>	<p>(SD)</p>	<p>DEEP SOCKET SETTLER COUPLING GxDSG</p>	<p>Size</p>	<p>Part Number</p>	<p>LB/100</p>	<p>(L)</p>	<p>(SD1)</p>	<p>(SD)</p>																																																				
	4	G331-0004	173	.87	5.00	2.75		6	G331-0006	378	1.00	6.25	3.75	8	G331-0008	644	1.62	6.25	4.37	10	G331-0010	1310	1.75	8.00	5.00	12	G331-0012	1375	2.00	9.00	5.00																																		
<p>IPS G x SEWER G ADAPTER</p>	<p>Size</p>	<p>Part Number</p>	<p>LB/100</p>	<p>(L)</p>	<p>(SD1)</p>	<p>(SD)</p>	<p>DEEP SOCKET SETTLER COUPLING SPxDSG</p>	<p>Size</p>	<p>Part Number</p>	<p>LB/100</p>	<p>(L)</p>	<p>(S)</p>	<p>(SD)</p>																																																				
	4*	G332-0004	134	.20	2.56	3.29		6*	G332-0006	311	.25	3.09	4.66	8	G332-0008	822	3.12	4.37	5.75	10	G332-0010	1264	3.50	5.00	6.00	12	G332-0012	1833	4.00	5.00	6.25	4x6	G332-0046	275	3.00	3.50	4.12																												



SCH40 SOCKET DIMENSIONS

SIZE	SCH. 40 SOLVENT WELD		SCH. 40 GASKETED			SCH. 40 PIPE
	SD	OD	SD	OD	C	OD
4" Fabricated	2.00	5.00	4.50	5.60	2.80	4.500
4" Molded	1.75					
6" Fabricated	3.00	7.20	5.00	8.15	3.40	6.625
6" Molded	3.00					
8" Fabricated	4.00	9.35	5.75	10.20	4.40	8.625
8" Molded	4.00					
10" Fabricated	5.00	11.55	6.00	12.45	4.60	10.750
12" Fabricated	6.00	13.60	6.25	14.50	5.00	12.750
14" Fabricated	7.00	14.90				14.000
16" Fabricated	8.00	17.15				16.000
18" Fabricated	9.00	19.15				18.000
20" Fabricated	10.00	21.25				20.000
24" Fabricated	12.00	25.50				24.000





O.D.'S & WALL THICKNESS

SIZE				CLASS 63	CLASS 100	CLASS 125	CLASS 160	CLASS 200	CLASS 250	CLASS 315
	SCH 40	SCH 80	SCH 120	SDR 64	SDR 41	SDR 32.5	SDR 26	SDR 21	SDR 17	SDR 13.5
4"	.237	.337	.437	.070	.110	.138	.173	.214	.265	.333
6"	.280	.432	.562	.104	.162	.204	.255	.316	.390	.491
8"	.322	.500	.718	.135	.210	.265	.332	.410	.508	
10"	.365	.593	.843	.168	.262	.331	.413	.511	.632	
12"	.406	.687	1.000	.199	.311	.392	.490	.606	.750	
14"	.437	.750			.341	.430	.538	.666	.823	
16"	.500	.843			.390	.492	.615	.762	.941	
18"	.562	.937			.439	.554	.692	.857	1.059	
20"	.593	1.031			.488	.615	.769	.952	1.176	
24"	.687	1.218			.585	.738	.923	1.143	1.412	

***IF YOU NEED IT,
WE HAVE IT --
OR WE'LL MAKE IT FOR
YOU!***

***We are in business to take
care of you,
OUR CUSTOMERS!***

***PHONE: 1-800-437-4670
FAX: 1-800-822-6989***